

- ABARES (2013). 'Agricultural Commodities: March Quarter 2013.' (Australian Bureau of Agricultural and Resource Economics and Sciences Canberra)
- Abbott I (2011). The importation, release, establishment, spread, and early impact on prey animals of the red fox *Vulpes vulpes* in Victoria and adjoining parts of south-eastern Australia. *Australian Zoologist* **35**(3), 463-533.
- Abdel-Rahman S and Ahmed M (2007). Rapid and sensitive identification of buffalo's, cattle's and sheep's milk using species-specific PCR and PCR-RFLP techniques. *Food control* **18**(10), 1246-1249.
- ABS (2008). 'Agricultural State Profile, Tasmania, 2006-07 ' (Australian Bureau of Statistics: Canberra)
- Aida A, Che Man Y, Wong C, Raha A and Son R (2005). Analysis of raw meats and fats of pigs using polymerase chain reaction for Halal authentication. *Meat science* **69** (1), 47-52.
- Alacs E and Georges A (2008). Wildlife across our borders: a review of the illegal trade in Australia. *Australian Journal of Forensic Sciences* **40**(2), 147-160.
- Alacs EA, Georges A, FitzSimmons NN and Robertson J (2010). DNA detective: a review of molecular approaches to wildlife forensics. . *Forensic Science, Medicine and Pathology* **6**(3), 180-194.
- Alaeddini R, Walsh SJ and Abbas A (2010). Forensic implications of genetic analyses from degraded DNA—A review. *Forensic science international: genetics* **4**(3), 148-157.
- Alam GM (2009). The role of science and technology education at network age population for sustainable development of Bangladesh through human resource advancement. *Sci. Res. Essays* **4**(11), 1260-1270.
- Allen SH and Sargeant AB (1993). Dispersal patterns of red foxes relative to population density. *The Journal of Wildlife Management* **57**(3), 526-533.
- Anderson DR (2001). The need to get the basics right in wildlife field studies. *Wildlife Society Bulletin* **29**(4), 1294-1297.
- Anderson JL (1998). Embracing uncertainty: the interface of Bayesian statistics and cognitive psychology. *Conservation Ecology* **2**(1), 2.
- Anderson JL (2001). Stone Age Minds at Work on 21st Century Science. *Conservation in Practice* **2**(3), 18-27.
- Andrew J and Robottom I (2001). Science and ethics: Some issues for education. *Science education* **85**(6), 769-780.
- Andrews RD, Storm GL, Phillips RL and Bishop RA (1973). Survival and movements of transplanted and adopted red fox pups. *The Journal of Wildlife Management*, 69-72.
- Anon (2002). 'European red fox (*Vulpes vulpes*).' (Australian Government Publisher: Canberra)
- Anon (2003). Offender File. In 'Game Tracks. ' pp. 28. (Wildlife Management Branch, Department of Primary Industries, Parks, Water and Environment: Hobart)
- Anon (2005). 'Strategic Asset Management Plan.' (Department of Infrastructure, Energy and Resources: Hobart)
- Anon (2007). 'Tasmanian Corridor Strategy.' (Department of Transport and Regional Services: Barton ACT)
- Anon (2011). Scat Degradation Project. In 'Eradicate. Vol. 1'. Winter edn. (Department of Primary Industries, Parks, Water and Environment: Hobart)
- Anon (2012). Foxes in Tasmania. (Department of Primary Industries, Parks, Water and

Environment: Hobart) <http://www.dpiw.tas.gov.au/inter-nsf/ThemeNodes/LBUN-5K438G?open>

Anon (2013). Species Profile and Threats Database: *Sarcophilus harrisii* (Department of Sustainability, Environment, Water, Population and Communities: Canberra) [http://www.environment.gov.au/cgi-bin/sprat/public/publicspecies.pl?taxon\\_id=299](http://www.environment.gov.au/cgi-bin/sprat/public/publicspecies.pl?taxon_id=299)

Anon. (1992). 'Rio Declaration on Environment and Development.' (United Nations: Rio de Janeiro)

Applegate JS (2000). The precautionary preference: an American perspective on the precautionary principle. *Human and Ecological Risk Assessment* **6**(3), 413-443.

Armstrong K and Ball S (2005). DNA barcodes for biosecurity: invasive species identification. *Philosophical Transactions of the Royal Society B: Biological Sciences* **360**(1462), 1813-1823.

Atzert SP (1971). 'A review of sodium monofluoroacetate (Compound 1080) its properties, toxicology, and use in predator and rodent control.' (U.S. Bureau of Sport Fisheries and Wildlife: Washington)

Aubry KB (2006). The importance of obtaining verifiable occurrence data on forest carnivores and an interactive website for archiving results from standardized surveys. In '*Martes* in carnivore communities.' (Eds M.Santos-Reis, G Proulx, JDS Birks and EC O'Doherty) pp. 159-1176. (Alpha Wildlife)

Bailey EP (1993). Introduction of foxes to Alaskan islands-history, effects on avifauna, and eradication. United States Department of the Interior, Washington.

Baker P, Funk S, Harris S, Newman T, Saunders G and White P The impact of human attitudes on the social and spatial organization of urban foxes (*Vulpes vulpes*) before and after an outbreak of sarcoptic mange. In '4th International Urban Wildlife Symposium', 2004, Tuscon. (Eds WW Shaw, LK Haris and L Vandruf), pp. 153-163

Baker S (2006). The eradication of coypus (*Myocastor coypus*) from Britain: the elements required for a successful campaign. In 'Assessment and Control of Biological Invasion Risks.' pp. 142-147. (Shoukadoh Book Sellers: Kyoto, Japan)

Bandelt HJ, Quintana-Murci L, Salas A and Macaulay V (2002). The fingerprint of phantom mutations in mitochondrial DNA data. *The American Journal of Human Genetics* **71**(5), 1150-1160.

Banks PB, Dickman CR and Newsome AE (1998). Ecological costs of feral predator control: foxes and rabbits. *The Journal of Wildlife Management*, 766-772.

Banks SC, Hoyle SD, Horsup A, Sunnucks P and Taylor AC (2003). Demographic monitoring of an entire species (the northern hairy-nosed wombat, *Lasiorchinus krefftii*) by genetic analysis of non-invasively collected material. *Animal Conservation* **6**(2), 101-107.

Banks SC, Piggott MP, Hansen BD, Robinson NA and Taylor AC (2002). Wombat coprogenetics: enumerating a common wombat population by microsatellite analysis of faecal DNA. *Australian Journal of Zoology* **50**(2), 193-204.

Bär W, Brinkmann B, Budowle B, Carracedo A, Gill P, Holland M, Lincoln PJ, Mayr W, Morling N and Olaisen B (2000). DNA Commission of the International Society for Forensic Genetics: guidelines for mitochondrial DNA typing. *International journal of legal medicine* **113**(4), 193-196.

Bartholomew RE (1989). The South African Monoplane Hysteria: An Evaluation of the Usefulness of Smelser's Theory of Hysterical Beliefs. *Sociological Inquiry* **59**(3), 287-300.

Bartholomew RE (1990). Ethnocentricity and the social construction of 'mass hysteria'. *Culture, Medicine and Psychiatry* **14**(4), 455-494.

Bartholomew RE (2001). 'Little green men, meowing nuns, and head-hunting panics: a

study of mass psychogenic illness and social delusion.' (McFarland and Co: Jefferson)

Bartholomew RE and Goode E (2000). Mass Delusions and Hysterias. *Skeptical Inquirer* **24**(3), 20-28.

Bartholomew RE and Sirois F (2000). Occupational mass psychogenic illness: a transcultural perspective. *Transcultural Psychiatry* **37**(4), 495.

Beaman J, Vaske JJ and Miller CA (2005). Cognitive processes in hunter's recall of participation and harvest estimates. *Journal of Wildlife Management* **69**(3), 967-975.

Beauchamp TL (1992). Ethical issues in funding and monitoring university research. *Business & professional ethics journal*, 5-16.

Behague D, Tawiah C, Rosato M, Some T and Morrison J (2009). Evidence-based policy-making: The implications of globally-applicable research for context-specific problem-solving in developing countries. *Social Science & Medicine* **69**(10), 1539-1546.

Belcher C, Nelson J and Darrant J (2007). Diet of the tiger quoll (*Dasyurus maculatus*) in south-eastern Australia. *Australian Journal of Zoology* **55**(2), 117-122.

Belt JF, Delibes M and Raw R (1991). Metodi di censimento della volpe (*Vulpes vulpes*). *Hystrix* **3**, 199-214.

Bengsen A, Butler J and Masters P (2012). Estimating and indexing feral cat population abundances using camera traps. *Wildlife Research* **38**(8), 732-739.

Bennett AF, Lumsden LF and Menkhorst PW (1989). Mammals of the Mallee region of south-eastern Australia. In 'Mediterranean Landscapes in Australia: Mallee Ecosystems and their Management.' (Eds JC Noble and RA Baverstock). (CSIRO Publishing: Melbourne)

Benos DJ, Fabres J, Farmer J, Gutierrez JP, Hennessy K, Kosek D, Lee JH, Olteanu D, Russell T and Shaikh F (2005). Ethics and scientific publication. *Advances in Physiology Education* **29**(2), 59-74.

Benson DA, Karsch-Mizrachi I, Lipman DJ, Ostell J, Rapp BA and Wheeler DL (2002). GenBank. *Nucleic Acids Research* **30**(1), 17-20.

Berry O, Algar D, Angus J, Hamilton N, Hilmer S and Sutherland D (2011). Genetic tagging reveals a significant impact of poison baiting on an invasive species. *The Journal of Wildlife Management* **76**(4), 729-739.

Berry O and Kirkwood R (2010). Measuring Recruitment in an Invasive Species to Determine Eradication Potential. *The Journal of Wildlife Management* **74**(8), 1661-1670.

Berry O and Sarre SD (2007). Gel-free species identification using melt-curve analysis. *Molecular Ecology Notes* **7**(1), 1-4.

Berry O, Sarre SD, Farrington L and Aitken N (2007). Faecal DNA detection of invasive species: the case of feral foxes in Tasmania. *Wildlife Research* **34**(1), 1-7.

Blackman D, Corcoran A and Sarre S (2013). Are There Really Foxes: Where Does The Doubt Emerge? *Journal of Knowledge Management Practice* **14**(1).

Bloomfield T, Mooney N and Emms C The red fox in Tasmania; an incursion waiting to happen. 2005, pp. 299-300

Blumer A, Ehrenfeucht A, Haussler D and Warmuth MK (1987). Occam's razor. *Information processing letters* **24**(6), 377-380.

Bogich TL, Liebhold AM and Shea K (2008). To sample or eradicate? A cost minimization model for monitoring and managing an invasive species. *Journal of Applied Ecology* **45**(4), 1134-1142.

- Bohm D and Peat FD (2010). 'Science, order and creativity.' (Taylor & Francis US)
- Bomford M and O'Brien P (1995). Eradication or control for vertebrate pests? *Wildlife Society Bulletin* **23**(2), 249-255.
- Bomford M and O'Brien P (1995). 'Eradication of Australia's vertebrate pests: a feasibility study.' (University of Queensland Press: Brisbane) 243-250
- Bonaker P, Broberg L and Haas C (2007). An Assessment of Field Method Efficacy to Monitor Wildlife Presence Near Interstate 70 at Vail Pass. In 'Proceedings of the 2007 International Conference on Ecology and Transportation. ' (Eds C Leroy-Irwin, D Nelson and KP McDermott). (North Carolina State University: Raleigh)
- Bonin A, Bellemain E, Bronken Eidesen P, Pompanon F, Brochmann C and Taberlet P (2004). How to track and assess genotyping errors in population genetics studies. *Molecular Ecology* **13**(11), 3261-3273.
- Booth C (2009). Oh deer:'conservation hunting'in Australia. *Wildlife Australia magazine* **46**(2), 35-37.
- Bordia P and DiFonzo N (2002). When social psychology became less social: Prasad and the history of rumor research. *Asian Journal of Social Psychology* **5**(1), 49-61.
- Borst A, Box A and Fluit A (2004). False-positive results and contamination in nucleic acid amplification assays: suggestions for a prevent and destroy strategy. *European Journal of Clinical Microbiology & Infectious Diseases* **23**(4), 289-299.
- Bourdy C, Cottin F and Monot A (1991). Errors in distance appreciation and binocular night vision. *Ophthalmic and Physiological Optics* **11**(4), 340-349.
- Bowman J, Jaeger JAG and Fahrig L (2002). Dispersal distance of mammals is proportional to home range size. *Ecology* **83**(7), 2049-2055.
- Braastad B, Osadchuk L, Lund G and Bakken M (1998). Effects of prenatal handling stress on adrenal weight and function and behaviour in novel situations in blue fox cubs (*Alopex lagopus*). *Applied Animal Behaviour Science* **57**(1), 157-169.
- Braysher M (1993). 'Managing vertebrate pests: principles and strategies.' (Australian Government Publishing Service: Canberra)
- Brereton R, Bennett S and Mansergh I (1995). Enhanced greenhouse climate change and its potential effect on selected fauna of south-eastern Australia: a trend analysis. *Biological Conservation* **72**(3), 339-354.
- Brereton R, Bennett S and Mansergh I (1995). Enhanced greenhouse climate change and its potential effect on selected fauna of south-eastern Australia: a trend analysis. *Biological Conservation* **72**(3), 339-354.
- Bretagne S, Guillou J, Morand M and Houin R (1993). Detection of *Echinococcus multilocularis* DNA in fox faeces using DNA amplification. *Parasitology* **106**(2), 193-199.
- Bridgstock M (2011). Critical Thinking about Weird Things. Teaching " Skepticism Science and the Paranormal" at University.
- Broekhuizen S (1971). Age determination and age composition of hare populations. *Trans. Xth Congr. Intern. Union Game Biol. Paris*, 477-489.
- Browne C, Stafford K and Fordham R (2006). The use of scent-detection dogs. *Irish Veterinary Journal* **59**(2), 97.
- Bryant S (2001). 'Fox-free Tasmania Action Plan to prevent the European Red Fox entry into Tasmania.' (Department of Primary Industries and Water: Hobart)
- Bubela T, Bartell R and Müller W (1998). Factors affecting the trappability of red foxes in Kosciusko National Park. *Wildlife Research* **25**(2), 199-208.

- Bubela TM, Dickman CR and Newsome AE (1998). Diet and winter foraging behaviour of the red fox (*Vulpes vulpes*) in alpine and subalpine New South Wales. *Australian Mammalogy* **20**(3), 321-330.
- Buchtel EE and Norenzayan A (2008). Which should you use, intuition or logic? Cultural differences in injunctive norms about reasoning. *Asian Journal of Social Psychology* **11**(4), 264-273.
- Buck GA, Clark VLP, Leslie-Pelecky D, Lu Y and Cerda-Lizarraga P (2008). Examining the cognitive processes used by adolescent girls and women scientists in identifying science role models: A feminist approach. *Science education* **92**(4), 688-707.
- Budowle B, Allard MW, Wilson MR and Chakraborty R (2003). Forensics and Mitochondrial DNA: Applications, Debates, and Foundations. *Annual Review of Genomics and Human Genetics* **4**(1), 119-141.
- Budowle B, Garofano P, Hellman A, Ketchum M, Kanthaswamy S, Parson W, van Haeringen W, Fain S and Broad T (2005). Recommendations for animal DNA forensic and identity testing. *International journal of legal medicine* **119**(5), 295-302.
- Bullard RW (1982). Wild canid associations with fermentation products. *Industrial and Engineering Chemistry Product Research and Development* **21**(4), 646-655.
- Bullard RW, Leiker TJ, Peterson JE and Kilburn SR (1978). Volatile components of fermented egg, an animal attractant and repellent. *Journal of Agricultural and Food Chemistry* **26**(1), 155-159.
- Bulte EH, Horan RD and Shogren JF (2003). Is the Tasmanian tiger extinct? A biological-economic re-evaluation. *Ecological Economics* **45**(2), 271-279.
- Burbidge A and Morris K Introduced mammal eradications for nature conservation on Western Australian islands: a review. In 'Turning the tide: the eradication of invasive species', 2002, Gland, Switzerland and Cambridge, UK. (Eds CR Veitch and MN Clout), pp. 64-70
- Busby GBJ, Gottelli D, Wachter T, Marker L, Belbachir F, De Smet K, Belbachir-Bazi A, Fellous A, Belghoul M and Durant SM (2009). Genetic analysis of scat reveals leopard *Panthera pardus* and cheetah *Acinonyx jubatus* in southern Algeria. *Oryx* **43**(3), 412-415.
- Butler JM (2011). 'Advanced Topics in Forensic DNA Typing: Methodology.' (Academic Press)
- Caldwell JM and Levine JF (2009). Domestic wastewater influent profiling using mitochondrial real-time PCR for source tracking animal contamination. *Journal of Microbiological Methods* **77**(1), 17-22.
- Callaway E (2012). A bloody boon for conservation. *Nature* **484**, 424-425.
- Cameron J and Abouchar J (1991). Precautionary Principle: A Fundamental Principle of Law and Policy for the Protection of the Global Environment. *Boston College International and Comparative Law Review* **14**, 1.
- Carneiro J, Pereira F and Amorim A (2012). SPInDel: a multifunctional workbench for species identification using insertion/deletion variants. *Molecular Ecology Resources* **12**(6), 1190-1195.
- Carr R (1976). 'English fox hunting: a history.' (Weidenfeld and Nicolson: London)
- Carracedo A, Bär W, Lincoln P, Mayr W, Morling N, Olaisen B, Schneider P, Budowle B, Brinkmann B and Gill P (2000). DNA Commission of the International Society for Forensic Genetics: guidelines for mitochondrial DNA typing. *Forensic Science international* **110**(2), 79-85.
- Carter A, Luck GW and McDonald SP (2012). Ecology of the red fox (*Vulpes vulpes*) in an agricultural landscape. 2. Home range and movements. *Australian Mammalogy* **34**(2), 175-187.

Catling P and Burt R (1995). Why are Red Foxes absent from some eucalypt forests in eastern New South Wales? *Wildlife Research* **22**(4), 535-545.

Cavallini P (1994). Faeces count as an index of fox abundance. *Acta Theriologica* **39**, 417-417.

Cavallini P (1996). Variation in the social system of the red fox. *Ethology Ecology & Evolution* **8**(4), 323-342.

Ch D (1859). On the origin of species by means of natural selection, or the preservation of favoured races in the struggle for life. *Murray, London*.

Charness G, Karni E and Levin D (2010). On the conjunction fallacy in probability judgment: New experimental evidence regarding Linda. *Games and Economic Behavior* **68**(2), 551-556.

Charney J, Hmelo-Silver CE, Sofer W, Neigeborn L, Coletta S and Nemeroff M (2007). Cognitive apprenticeship in science through immersion in laboratory practices. *International Journal of Science Education* **29**(2), 195-213.

Charney J, Hmelo-Silver CE, Sofer W, Neigeborn L, Coletta S and Nemeroff M (2007). Cognitive apprenticeship in science through immersion in laboratory practices. *International Journal of Science Education* **29**(2), 195-213.

Christopherson C, Sninsky J and Kwok S (1997). The effects of internal primer-template mismatches on RT-PCR: HIV-1 model studies. *Nucleic Acids Research* **25**(3), 654-658.

Claridge AW, Cunningham RB, Catling PC and Reid AM (2010). Trends in the activity levels of forest-dwelling vertebrate fauna against a background of intensive baiting for foxes. *Forest Ecology and Management* **260**(5), 822-832.

Clarke G, Grosse S, Matthews M, Catling P, Baker B, Hewitt C, Crowther D and Sadler S (2000). 'Environmental Pest Species in Australia.' (Department of the Environment and Heritage: Canberra)

Clout M and Russell J (2006). The eradication of mammals from New Zealand islands. In 'Assessment and Control of Biological Invasion Risks.' (Eds F Koike, MN Clout, M Kawamichi, M De Poorter and K Iwatsuki) pp. 127-141. (Shoukadoh Book Sellers, Kyoto, Japan and the World Conservation Union (IUCN), Gland, Switzerland: Kyoto)

Coleman JD, Forsyth D and Cowan P (2006). 'Review of Research into Alternatives to the use of 1080 for Management of Browsing Damage by Mammals in Tasmania.' (Department of Primary Industries and Water)

Coman B (1988). The age structure of a sample of red foxes (*Vulpes Vulpes* L) taken by hunters in Victoria. *Wildlife Research* **15**(3), 223-229.

Coman BJ, Robinson J and Beaumont C (1991). Home range, dispersal and density of red foxes (*Vulpes-Vulpes* L) in central Victoria. *Wildlife Research* **18**(2), 215-223.

COMEST U (2005). The Precautionary Principle. World Commission on the Ethics of Scientific Knowledge and Technology. In. ' (UNESCO: Paris)

Costello MJ, Michener WK, Gahegan M, Zhang Z-Q and Bourne PE (2013). Biodiversity data should be published, cited, and peer reviewed. *Trends in Ecology & Evolution*.

Cromarty P, Broome K, Cox A, Empson R, Hutchinson W and McFadden I Eradication planning for invasive alien animal species on islands—the approach developed by the New Zealand Department of Conservation. In 'Turning the tide: the eradication of invasive species', 19 to 23 February 2001 2002, University of Auckland. (Eds CR Veitch and MN Clout), pp. 85-91

Curler J (1992). Seasonal prolactin secretion and its role in seasonal reproduction: a review. *Reproduction, Fertility and Development* **4**(1), 1-23.

Darling JA and Blum MJ (2007). DNA-based methods for monitoring invasive species: a review and prospectus. *Biological Invasions* **9**(7), 751-765.

Darling JA and Mahon AR (2011). From molecules to management: adopting DNA-based methods for monitoring biological invasions in aquatic environments. *Environmental Research* **111**(7), 978-988.

Davies JL (1965). 'Atlas of Tasmania.' (Lands and Surveys Department: Hobart)

Davison A, Birks JDS, Brookes RC, Braithwaite TC and Messenger JE (2002). On the origin of faeces: morphological versus molecular methods for surveying rare carnivores from their scats. *Journal of Zoology* **257**(2), 141-143.

Dawson JP, Claridge AW, Triggs B and Paull DJ (2007). Diet of a native carnivore, the spotted-tailed quoll (*Dasyurus maculatus*), before and after an intense wildfire. *Wildlife Research* **34**(5), 342-351.

de Almeida AT, Kashivakura CK, Ferro C, Furtado MM, Astete SP, Torres NM, Sollmann R and Silveira L (2009). Home range and spatial organization of maned wolves in the Brazilian grasslands. *Journal of Mammalogy* **90**(1), 150-157.

Deagle B, Tollit D, Jarman S, Hindell M, Trites A and Gales N (2005). Molecular scatology as a tool to study diet: analysis of prey DNA in scats from captive Steller sea lions. *Molecular Ecology* **14**(6), 1831-1842.

Deagle B, Tollit D, Jarman S, Hindell M, Trites A and Gales N (2005). Molecular scatology as a tool to study diet: analysis of prey DNA in scats from captive Steller sea lions. *Molecular Ecology* **14**(6), 1831-1842.

Deagle B, Tollit D, Jarman S, Hindell M, Trites A and Gales N (2005). Molecular scatology as a tool to study diet: analysis of prey DNA in scats from captive Steller sea lions. *Molecular Ecology* **14**(6), 1831-1842.

Dean I (2011). Bosworth Fox. In 'Legislative Council. ' (Parliament of Tasmania Hansard: Hobart)

DeFries R, Achard F, Brown S, Herold M, Murdiyarto D, Schlamadinger B and de Souza C (2007). Earth observations for estimating greenhouse gas emissions from deforestation in developing countries. *environmental science & policy* **10**(4), 385-394.

Dennis C (2002). Baiting plan to remove fox threat to Tasmanian wildlife. *Nature* **416** (6879), 357-357.

Dettmers R, Buehler DA, Bartlett JG and Klaus NA (1999). Influence of point count length and repeated visits on habitat model performance. *Journal of Wildlife Management* **63**(3), 816-823.

Dexter N and Meek P (1998). An analysis of bait-take and non-target impacts during a fox-control exercise. *Wildlife Research* **25**(2), 147-155.

Dexter N and Murray A (2009). The impact of fox control on the relative abundance of forest mammals in East Gippsland, Victoria. *Wildlife Research* **36**(3), 252-261.

Dexter N and Murray A (2009). The impact of fox control on the relative abundance of forest mammals in East Gippsland, Victoria. *Wildlife Research* **36**(3), 252-261.

Dickman CR (1996). Impact of exotic generalist predators on the native fauna of Australia. *Wildlife Biology* **2**(3), 185-195.

Dickman CR (1996). Impact of exotic generalist predators on the native fauna of Australia. *Wildlife Biology* **2**(3), 185-195.

Docquier F, Lohest O and Marfouk A (2007). Brain drain in developing countries. *The World Bank Economic Review* **21**(2), 193-218.

Dolan EL, Lally DJ, Brooks E and Tax FE (2008). PREPPing students for authentic

science. *Science teacher (Normal, Ill.)* **75**(7), 38.

Doncaster CP and Macdonald DW (1991). Drifting territoriality in the red fox *Vulpes vulpes*. *The Journal of Animal Ecology* **60**, 423-439.

Douglas AM (1990). The Thylacine: a case for current existence on mainland Australia. *Cryptozoology: Interdisciplinary Journal of the International Society of Cryptozoology* **9**, 13.

Driessen M and Hocking G Wildlife Monitoring.

Drubin DG and Kellogg DR (2012). English as the universal language of science: opportunities and challenges. *Molecular Biology of the Cell* **23**(8), 1399-1399.

DSEWPC (2013). Species Profile and Threats Database. (Australian Government Publisher: Canberra) <http://www.environment.gov.au/sprat>

Dunn HB and Allen CA (2005). Rumors, urban legends and internet hoaxes. In 'Annual Meeting of the Association of Collegiate Marketing Educators.' Ed. P Fountain) pp. 85. (Association of Collegiate Marketing Educators: Oklahoma City)

Dzama EN and Osborne JF (1999). Poor performance in science among African students: An alternative explanation to the African worldview thesis. *Journal of research in science teaching* **36**(3), 387-405.

Eason CT, Shapiro L, Adams P, Hix S, Cunningham C, MacMorran D, Statham M and Statham H (2010). Advancing a humane alternative to sodium fluoroacetate (1080) for wildlife management, welfare and wallaby control. *Wildlife Research* **37**(6), 497-503.

Ebbert S and Byrd G (2002). Eradications of invasive species to restore natural biological diversity on Alaska Maritime National Wildlife Refuge. In 'Turning the tide: The Eradication of Invasive Species.' (Eds CR Veitch and MN Clout) pp. 102-109. (IUCN SSC Invasive Species Specialist Group: Gland, Switzerland and Cambridge, UK)

Edgar RC (2004). MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research* **32**(5), 1792-1797.

Edgar RC (2004). MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic acids research* **32**(5), 1792-1797.

Edwards G, De Preu N and Crealy BJSIV (2000). An evaluation of two methods of assessing feral cat and dingo abundance in central Australia. *Wildlife Research* **27**(2), 143-149.

Eldridge SR, Shakeshaft BJ and Nano TJ (2002). The impact of wild dog control on cattle, native and introduced herbivores and introduced predators in central Australia. *Unpublished report to the Bureau of Rural Sciences. Parks and Wildlife Service, Department of Infrastructure, Planning and Environment, Alice Springs, Northern Territory.*

Emms C, Bloomfield T and Mooney N Developing a strategic fox eradication programme in a sceptical social environment. In '13th Australasian Vertebrate Pest Conference', 2005, Wellington, pp. 150-151

Engeman RM (2003). More on the need to get the basics right: population indices. *Wildlife Society Bulletin* **31**(1), 286-287.

Englander K and López-Bonilla G (2011). Acknowledging or denying membership: Reviewers' responses to non-anglophone scientists' manuscripts. *Discourse Studies* **13**(4), 395-416.

Entsua-Mensah RM (2004). 'The Future of the youth in Science and Technology in Ghana.'

Evans G (2005). 'The Thylacine Conspiracy.' (Lulu. com)



- Ewen KR, Bahlo M, Treloar SA, Levinson DF, Mowry B, Barlow JW and Foote SJ (2000). Identification and analysis of error types in high-throughput genotyping. *The American Journal of Human Genetics* **67**(3), 727-736.
- Fairbridge D, Anderson R, Wilkes T and Pell G (2003). Bait uptake by free living brush-tailed phascogales *Phascogale tapoatafa* and other non-target mammals during simulated buried fox baiting. *Australian Mammalogy* **25**(1), 31-45.
- Fairbridge D and Fisher P Keeping predator control programmes on target: field assessment of bait uptake by target and non target species in Victoria. In '21 in: Proceedings: 12th Australasian Vertebrate Pest Control Conference, Melbourne. Department of Natural Resources and Environment, Victoria', 2001, p. 17
- Fairbridge D, Fisher P, Busana F, Pontin K and Edwards A (2000). Observations of the behaviour of free living bush rat, *Rattus fuscipes* and southern brown bandicoot, *Isodon obesulus* at buried bait stations. *Australian Mammalogy* **22**(2), 125-127.
- Fairbridge D, Fisher P, Busana F, Pontin K and Edwards A (2000). Observations of the behaviour of free living bush rat, *Rattus fuscipes* and southern brown bandicoot, *Isodon obesulus* at buried bait stations. *Australian Mammalogy* **22**(2), 125-127.
- Fairbridge D and Marks CA (2005). 'Vertebrate Pest Research: Evaluation of the 2002/03 Victorian Fox Bounty Trial.' (Primary Industries Research Victoria, Department of Primary Industries)
- Farrell LE, Roman J and Sunquist ME (2000). Dietary separation of sympatric carnivores identified by molecular analysis of scats. *Molecular Ecology* **9**(10), 1583-1590.
- Fassin Y (1991). Academic ethos versus business ethics. *International Journal of Technology Management* **6**(5-6), 5-6.
- Ferguson G (2007). The global spread of English, scientific communication and ESP: questions of equity, access and domain loss. *Ibérica: Revista de la Asociación Europea de Lenguas para Fines Específicos (AELFE)*(13), 7-38.
- Fernandes CA, Ginja C, Pereira I, Tenreiro R, Bruford MW and Santos-Reis M (2008). Species-specific mitochondrial DNA markers for identification of non-invasive samples from sympatric carnivores in the Iberian Peninsula. *Conservation Genetics* **9**(3), 681-690.
- Ferngren GB (2002). 'Science and religion: A historical introduction.' (JHUP)
- Ferrell WR (1994). Discrete subjective probabilities and decision analysis: Elicitation, calibration and combination. In 'Subjective Probability.' (Eds G Wright and P Ayton) pp. 411-451. (John Wiley & Sons: New York)
- Fetchenhauer D and Dunning D (2010). Why so cynical? Asymmetric feedback underlies misguided skepticism regarding the trustworthiness of others. *Psychological Science* **21**(2), 189-193.
- Fielding AH and Bell JF (1997). A review of methods for the assessment of prediction errors in conservation presence/absence models. *Environmental Conservation* **24**(1), 38-49.
- Fields DA (2009). What do Students Gain from a Week at Science Camp? Youth perceptions and the design of an immersive, research-oriented astronomy camp. *International Journal of Science Education* **31**(2), 151-171.
- Firestone K, Elphinstone M, Sherwin W and Houlden B (1999). Phylogeographical population structure of tiger quolls *Dasyurus maculatus* (Dasyuridae: Marsupialia), an endangered carnivorous marsupial. *Molecular Ecology* **8**(10), 1613-1625.
- First E (2012). EF EPI English proficiency index. *Education First, Ltd. Retrieved 29.*
- First E (2012). EF EPI English proficiency index. *Education First, Ltd. Retrieved 29.*

- Fischbein E and Schnarch D (1997). The evolution with age of probabilistic, intuitively based misconceptions. *Journal for Research in Mathematics Education* **28**(1), 96-105.
- Flammia M and Saunders C (2007). Language as power on the Internet. *Journal of the American society for information science and technology* **58**(12), 1899-1903.
- Flammia M and Saunders C (2007). Language as power on the Internet. *Journal of the American society for information science and technology* **58**(12), 1899-1903.
- Fleming PJS (1996). Aspects of the management of wild dogs (*Canis familiaris*) in north-eastern New South Wales. University of New England, Armidale
- Fleming PJS (1997). Uptake of baits by red foxes (*Vulpes vulpes*): Implications for rabies contingency planning in Australia. *Wildlife Research* **24**(3), 335-346.
- Fleming PJS, Allen BL and Ballard GA (2012). Seven considerations about dingoes as biodiversity engineers: the socioecological niches of dogs in Australia. *Australian Mammalogy* **34**(1), 119-131.
- Fletcher A (2010). Genuine fakes. *Politics and the Life Sciences* **29**(1), 48-60.
- Florida RL (2011). 'Creativity and Prosperity: The Global Creativity Index.' (Martin Prosperity Institute)
- Flowerdew J (2007). The non-Anglophone scholar on the periphery of scholarly publication. *AILA Review* **20**(1), 14-27.
- Foltz F (1999). Five arguments for increasing public participation in making science policy. *Bulletin of Science, Technology & Society* **19**(2), 117-127.
- Foran DR, Crooks KR and Minta SC (1997). Species identification from scat: an unambiguous genetic method. *Wildlife Society Bulletin* **25**(4), 835-839.
- Foran DR, Minta SC and Heinemeyer KS (1997). DNA-based analysis of hair to identify species and individuals for population research and monitoring. *Wildlife Society Bulletin* **25**(4), 840-847.
- Ford A and Peat FD (1988). The role of language in science. *Foundations of physics* **18**(12), 1233-1242.
- Forster P (2003). To err is human. *Annals of Human Genetics* **67**(1), 2-4.
- Foster KR, Vecchia P and Repacholi MH (2000). Science and the Precautionary Principle. *Science* **288**(5468), 979-981.
- Franklin A (1996). Australian hunting and angling sports and the changing nature of human-animal relations in Australia. *Journal of Sociology* **32**(3), 39-56.
- Franklin B (2009). 'Fox'd: The Fox that Fooled TASMANIA. But was it Dead on Arrival?' (Green Place Books Pty Ltd: Hobart)
- Frantzen M, Silk J, Ferguson J, Wayne R and Kohn M (2002). Empirical evaluation of preservation methods for faecal DNA. *Molecular Ecology* **7**(10), 1423-1428.
- Freeman C On seeing the big picture: A reply to Paddle (2008).
- Freeman C (2005). Is this picture worth a thousand words? An analysis of Harry Burrell's photograph of a thylacine with a chicken. *Australian Zoologist* **33**(1), 1.
- French C (2003). Fantastic memories: The relevance of research into eyewitness testimony and false memories for reports of anomalous experiences. *Journal of Consciousness Studies*, **10** **6**(7), 153-174.
- Furtado MM, Carrillo-Percegueiro SE, Jácomo ATA, Powell G, Silveira L, Vynne C and Sollmann R (2008). Studying jaguars in the wild: past experiences and future perspectives. *Cats News Special Issue* **4**, 41-47.

- Galilei G (1953). 'Dialogue concerning the two chief world systems: Ptolemaic and Copernican.' (University of California Pr)
- Gallant D, Vasseur L and Berube CELH (2007). Unveiling the limitations of scat surveys to monitor social species: a case study on river otters. *The Journal of Wildlife Management* **71**(1), 258-265.
- Garcia SM and Charles AT (2008). Fishery systems and linkages: implications for science and governance. *Ocean & Coastal Management* **51**(7), 505-527.
- Gaston KJ and O'Neill MA (2004). Automated species identification: why not? *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences* **359**(1444), 655-667.
- Gaston KJ and O'Neill MA (2004). Automated species identification: why not? *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences* **359**(1444), 655-667.
- Gelder Tv (2005). Teaching critical thinking: Some lessons from cognitive science. *College teaching* **53**(1), 41-48.
- Gelder Tv (2005). Teaching critical thinking: Some lessons from cognitive science. *College teaching* **53**(1), 41-48.
- Gelder Tv (2005). Teaching critical thinking: Some lessons from cognitive science. *College teaching* **53**(1), 41-48.
- Genovesi P Are we turning the tide? Eradications in times of crisis: how the global community is responding to biological invasions. In 'Island Invasives: Eradication and Management', 2011, Gland Switzerland. (Eds CR Veitch, MN Clout and DR Towns), pp. 5-8
- Gentle MN, Saunders GR and Dickman CR (2007). Poisoning for production: how effective is fox baiting in south-eastern Australia? *Mammal Review* **37**(3), 177-190.
- Gibbs WW (1995). Lost science in the third world. *Scientific American* **273**, 92-99.
- Glen A, Gentle M and Dickman C (2007). Non-target impacts of poison baiting for predator control in Australia. *Mammal Review* **37**(3), 191-205.
- Glen A, Gentle M and Dickman C (2007). Non-target impacts of poison baiting for predator control in Australia. *Mammal Review* **37**(3), 191-205.
- Glen AS and Dickman CR (2003). Monitoring bait removal in vertebrate pest control: a comparison using track identification and remote photography. *Wildlife Research* **30**(1), 29-33.
- Glen AS and Dickman CR (2005). Complex interactions among mammalian carnivores in Australia, and their implications for wildlife management. *Biological Reviews* **80**(3), 387-401.
- Glen AS and Dickman CR (2007). Complex interactions among mammalian carnivores in Australia, and their implications for wildlife management. *Biological Reviews* **80**(3), 387-401.
- Glenn WM and Most GW (2009). 'Doubting Thomas.' (Harvard University Press)
- Gollan K (1985). Prehistoric dogs in Australia: an Indian origin. In 'Recent advances in Indo-Pacific prehistory.' (Eds VN Misra and P Bellwood) pp. 439-443. (Princeton Press: New Delhi)
- Gompper ME, Kays RW, Ray JC, Lapoint SD, Bogan DA and Cryan JR (2006). A comparison of noninvasive techniques to survey carnivore communities in northeastern North America. *Wildlife Society Bulletin* **34**(4), 1142-1151.
- Gonçalves J, Marks CA, Obendorf D, Amorim A and Pereira F (in review). A new molecular method to identify the red fox (*Vulpes vulpes*) based on numeric barcodes

that significantly reduces the potential for false positives.

Goodwin T and Davey L (2012). 'Tasmanian Dairy Herd Survey.' (Maquarie Franklin: Devonport)

Goshorn K (2000). Strategies of deterrence and frames of containment: On critical paranoia and anti-conspiracy discourse. *Theory & Event* **4**(3).

Gosling L and Baker S Planning and monitoring an attempt to eradicate coypus from Britain. In 'Symposia of the Zoological Society of London', 1987, pp. 99-113

Goss M (1992). Alien Big Cat Sightings in Britain: A Possible Rumour Legend? *Folklore* **103**(2), 184-202.

Green RH (1974). 'The Mammals of Tasmania.' (Queen Victoria Museum: Launceston)

Greenberg DS (2001). 'Science, money, and politics: Political triumph and ethical erosion.' (University of Chicago Press)

Gregory T (1929). Camera trapping in the snow. *Journal of Mammalogy* **10**(2), 142-148.

Greig M and McQuaid RW (2005). 'The impact of ferry services on an island economy.' (Napier University: Edinburgh)

Gu W and Swihart RK (2004). Absent or undetected? Effects of non-detection of species occurrence on wildlife-habitat models. *Biological Conservation* **116**(2), 195-203.

Guiler E (1970). Observations on the Tasmanian Devil, *Sarcophilus harrisii* (Marsupialia: Dasyuridae) I. Numbers, home, range, movements and food in two populations. *Australian Journal of Zoology* **18**(1), 49-62.

HA M, RN M, JA M, LE N, PJ S and JK W (2005). 'Invasive Alien Species: A New Synthesis.' (Island Press: Washington)

Haber TB (1962). The use of canine terms in the names of other animals. *American Speech* **37**(3), 189-199.

Hagelberg E (1996). Mitochondrial DNA in ancient and modern humans. *Molecular biology and human diversity* **38**, 1.

Hagelberg E (1996). 1 Mitochondrial DNA in ancient and modern humans. *Molecular biology and human diversity* **38**, 1.

Hall LS, Krausman PR and Morrison ML (1997). The habitat concept and a plea for standard terminology. *Wildlife Society Bulletin* **25**(1), 173-182.

Halls KM, Spears R and Young R (2006). 'Tales of the cryptids: Mysterious creatures that may or may not exist.' (Darby Creek Publishing: Plain City)

Hamel RE (2007). The dominance of English in the international scientific periodical literature and the future of language use in science. *AILA Review* **20**(1), 53-71.

Harding EK, Doak DF and Albertson JD (2001). Evaluating the Effectiveness of Predator Control: the Non-Native Red Fox as a Case Study. *Conservation Biology* **15** (4), 1114-1122.

Harding R (1998). 'Environmental Decision-Making: The roles of scientists, engineers, and the public.' (The Federation Press)

Harding SG (1994). Is science multicultural?: Challenges, resources, opportunities, uncertainties. *Configurations* **2**(2), 301-330.

Harris E (2004). Building scientific capacity in developing countries. *EMBO reports* **5** (1), 7-11.

- Harris JM (2005). Mammal records from The Tasmanian Naturalist. *Tasmanian Naturalist* **127**, 20-41.
- Harris S (1981). An estimation of the number of foxes (*Vulpes vulpes*) in the city of Bristol, and some possible factors affecting their distribution. *Journal of Applied Ecology* **18**, 455-465.
- Harris S (2008). Distribution, habitat utilization and age structure of a suburban fox (*Vulpes vulpes*) population. *Mammal Review* **7**(1), 25-38.
- HARRIS S (2008). Distribution, habitat utilization and age structure of a suburban fox (*Vulpes vulpes*) population. *Mammal Review* **7**(1), 25-38.
- Harris S and Smith G (1987). Demography of two urban fox (*Vulpes vulpes*) populations. *Journal of Applied Ecology*, 75-86.
- Harris S and Smith GC (1987). Demography of two urban fox (*Vulpes vulpes*) populations. *Journal of Applied Ecology* **24**, 75-86.
- Harris S and Trehwella W (1988). An analysis of some of the factors affecting dispersal in an urban fox (*Vulpes vulpes*) population. *Journal of Applied Ecology*, 409-422.
- Harrison RL, Barr DJ and Dragoo JW (2002). A comparison of population survey techniques for swift foxes (*Vulpes velox*) in New Mexico. *The American Midland Naturalist* **148**(2), 320-337.
- Haselton MG, Nettle D and Andrews PW (Eds) (2005). 'The Evolution of Cognitive Bias.' The handbook of Evolutionary Psychology (Wiley: New York)
- Hawkins RC (2007). Laboratory turnaround time. *The Clinical Biochemist Reviews* **28** (4), 179.
- Heap M and Spittle B (2003). Sightings of the moa. *The Skeptical Intelligencer* **6**, 27-28.
- Heberle G (2004). Reports of alleged thylacine sightings in Western Australia. *Conservation Science (Western Australia)* **5**(1), 1.
- Heger T and Trepil L (2003). Predicting biological invasions. *Biological Invasions* **5**(4), 313-321.
- Heitman E and Litewka S International perspectives on plagiarism and considerations for teaching international trainees. In 'Urologic Oncology: Seminars and Original Investigations', 2011, pp. 104-108
- Heitman E and Litewka S International perspectives on plagiarism and considerations for teaching international trainees. In 'Urologic Oncology: Seminars and Original Investigations', 2011, pp. 104-108
- Helgen KM (2009). The mammal fauna of the Kaijende Highlands, Enga Province, Papua New Guinea. *A rapid biodiversity assessment of the Kaijende Highlands, Enga Province, Papua New Guinea*, 52-68.
- Henry JD (1977). The use of urine marking in the scavenging behavior of the red fox (*Vulpes vulpes*). *Behaviour* **61**(1/2), 82-106.
- Hey J (2001). 'Genes, categories and species: The evolutionary and cognitive cause of the species problem.' (Oxford University Press, USA)
- Heydon MJ, Reynolds JC and Short MJ (2000). Variation in abundance of foxes (*Vulpes vulpes*) between three regions of rural Britain, in relation to landscape and other variables. *Journal of Zoology* **251**(2), 253-264.
- Hobday AJ and Minstrell ML (2008). Distribution and abundance of roadkill on Tasmanian highways: human management options. *Wildlife Research* **35**(7), 712-726.
- Holbrook J and Rannikmae M (2009). The meaning of scientific literacy. *International*

*Journal of Environmental & Science Education* 4(3), 275-288.

Holderness-Roddam B (2011). The effects of domestic dogs (*Canis familiaris*) as a disturbance agent on the natural environment. University of Tasmania,

Holmgren M and Schnitzer SA (2004). Science on the rise in developing countries. *PLoS biology* 2(1), e1.

Holmgren M and Schnitzer SA (2004). Science on the rise in developing countries. *PLoS biology* 2(1), e1.

Hone J (1983). A short-term evaluation of feral pig eradication at Willandra in western New South Wales. *Wildlife Research* 10(2), 269-275.

Hone J (1999). On rate of increase(r): patterns of variation in Australian mammals and the implications for wildlife management. *Journal of Applied Ecology* 36(5), 709-718.

Hone J and Bryant H (1981). An examination of feral pig eradication in a hypothetical outbreak of foot and mouth disease at Newcastle. In 'Wildlife diseases of the Pacific Basin and other countries. . ' Ed. ME Fowler pp. 79-85. (Wildlife Disease Association: Sacramento)

Hone J and Sibly RM (2002). Demographic, mechanistic and density, independent determinants of population growth rate: a case study in an avian predator. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences* 357(1425), 1171-1177.

Hoppers CAO (2008). Culture, language, indigenous knowledge and the role of universities in sustainable rural development. *UNIVERSITIES IN SOUTHERN AFRICA AS CATALYSTS FOR SUSTAINABLE RURAL DEVELOPMENT*, 29.

Howe J (1981). Fox hunting as ritual. *American Ethnologist* 8(2), 278-300.

Hsee C and Weber E (1999). Cross-national differences in risk preference and lay predictions. *Journal of Behavioral Decision Making* 12.

Hughes C, Gaffney R and Dickman CR (2011). A preliminary study assessing risk to Tasmanian devils from poisoning for red foxes. *Journal of Wildlife Management* 75(2), 385-392.

Hull JM, Fish AM, Keane JJ, Mori SR, Sacks BN and Hull AC (2010). Estimation of species identification error: Implications for raptor migration counts and trend estimation. *The Journal of Wildlife Management* 74(6), 1326-1334.

Hunt R Pre baiting using a synthetic scent to increase point of control investigations by foxes (*Vulpes vulpes*) and wild dogs (*Canis lupis dingo/Canis lupis familiaris*). In '56 in: Proceedings of the Third NSW Pest Animal Control Conference, Coffs Harbour, NSW', 2005, p. 53

Hunt R Pre baiting using a synthetic scent to increase point of control investigations by foxes (*Vulpes vulpes*) and wild dogs (*Canis lupis dingo/Canis lupis familiaris*). In '56 in: Proceedings of the Third NSW Pest Animal Control Conference, Coffs Harbour, NSW', 2005, p. 53

Hurlbert SH (1984). Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* 54(2), 187-211.

Husting G and Orr M (2007). Dangerous machinery: "Conspiracy theorist" as a transpersonal strategy of exclusion. *Symbolic Interaction* 30(2), 127-150.

Hyett J and Shaw N (1980). 'Australian mammals: a field guide for New South Wales, South Australia, Victoria and Tasmania.' (Nelson: West Melbourne)

Ioannidis JPA (2005). Why most published research findings are false. *PLoS Medicine* 2(8), e124.

Jacobson SK and Duff MD (1998). Training idiot savants: the lack of human

dimensions in conservation biology. *Conservation Biology* **12**(2), 263-267.

Jahoda G (1968). Scientific training and the persistence of traditional beliefs among West African university students.

Janzen DH (2004). Now is the time. *Philosophical Transactions of the Royal Society B: Biological Sciences* **359**(1444), 731.

Jarman P (1986). 'The red fox - an exotic large predator.' (Wiley: Brisbane) 43-61

Jeans DN (1977). 'Australia: a geography.' (Sydney: Sydney University Press)

Jegede OJ (1997). School science and the development of scientific culture: A review of contemporary science education in Africa. *International Journal of Science Education* **19**(1), 1-20.

Jegede OJ and Aikenhead GS (1999). Transcending cultural borders: Implications for science teaching. *Research in Science & Technological Education* **17**(1), 45-66.

Jiang W, Liu N, Zhang G, Renqing P, Xie F, Li T, Wang Z and Wang X (2012). Specific detection of *Echinococcus* spp. from the Tibetan fox (*Vulpes ferrilata*) and the red fox (*V. vulpes*) using copro-DNA PCR analysis. *Parasitology Research*, 1-9.

Jie D (2010). Science paper trade booms in China. . *Sci Dev Net*. **Feb 15**.

Jiménez-Aleixandre MP and Erduran S (2007). Argumentation in science education: An overview. In 'Argumentation in science education.' pp. 3-27. (Springer)

Johnson C (2006). 'Australia's Mammal Extinctions: a 50000 year history.' (Cambridge University Press: Cambridge)

Johnson DH (2002). The importance of replication in wildlife research. *The Journal of Wildlife Management* **66**(4), 919-932.

Johnson J (2005). Stopping Africa's medical brain drain: The rich countries of the North must stop looting doctors and nurses from developing countries. *BMJ: British Medical Journal* **331**(7507), 2.

Johnson M and Pigliucci M (2004). Is knowledge of science associated with higher skepticism of pseudoscientific claims? *The American Biology Teacher* **66**(8), 536-548.

Johnson RN, Wilson-Wilde L and Linacre A (2013). Current and Future Directions of DNA in Wildlife Forensic Science. *Forensic Science International: Genetics*.

Johnsson ML and Hampton JA (2006). The inverse conjunction fallacy. *Journal of Memory and Language* **55**(3), 317-334.

Johnston MJ (2008). 'Introduced animals on Victorian islands: improving Australia's ability to protect its island habitats from feral animals.' (Arthur Rylah Institute for Environmental Research: Department of Sustainability and Environment: Melbourne)

Jones E (1977). Ecology of the feral cat, *Felis catus* (L.), (Carnivora: Felidae) on Macquarie Island. *Wildlife Research* **4**(3), 249-262.

Jones ME (2000). Road upgrade, road mortality and remedial measures: impacts on a population of eastern quolls and Tasmanian devils. *Wildlife Research* **27**(3), 289-296.

Jones ME and Barmuta LA (1998). Diet overlap and relative abundance of sympatric dasyurid carnivores: a hypothesis of competition. *Journal of Animal Ecology* **67**(3), 410-421.

Jones ME, Jarman PJ, Lees CM, Hesterman H, Hamede RK, Mooney NJ, Mann D, Pukk CE, Bergfeld J and McCallum H (2007). Conservation management of Tasmanian devils in the context of an emerging, extinction-threatening disease: devil facial tumor disease. *EcoHealth* **4**(3), 326-337.

Jones ME, Paetkau D, Geffen E and Moritz C (2004). Genetic diversity and population

- structure of Tasmanian devils, the largest marsupial carnivore. *Molecular Ecology* **13** (8), 2197-2209.
- Jones N, Jones H and Walsh C (2009). 'Political science? Strengthening science-policy dialogue in developing countries.' (Overseas Development Institute (ODI))
- Jöns H and Hoyler M (2013). Global geographies of higher education: The perspective of world university rankings. *Geoforum*.
- Jule KR, Leaver LA and Lea SEG (2008). The effects of captive experience on reintroduction survival in carnivores: a review and analysis. *Biological conservation* **141**(2), 355-363.
- Kahneman D and Tversky A (1996). On the reality of cognitive illusions. *Psychological Review* **103**(3), 582-592.
- Kaiser D (2012). In retrospect: The structure of scientific revolutions. *Nature* **484**(7393), 164-166.
- Kaplan RB (1993). The hegemony of English in science and technology. *Journal of Multilingual & Multicultural Development* **14**(1-2), 151-172.
- Kates RW, Clark WC, Corell R, Hall JM, Jaeger CC, Lowe I, McCarthy JJ, Schellnhuber HJ, Bolin B and Dickson NM (2001). 'Sustainability science.' (International Institute for Applied Systems Analysis)
- Kates RW and Dasgupta P (2007). African poverty: A grand challenge for sustainability science. *Proceedings of the National Academy of Sciences* **104**(43), 16747-16750.
- Kates RW and Parris TM (2003). Long-term trends and a sustainability transition. *Proceedings of the National Academy of Sciences* **100**(14), 8062-8067.
- Kay B, Saunders G and McLeod L (1999). Caching of baits by foxes (*Vulpes vulpes*) on agricultural lands. *Wildlife Research* **26**(3), 335-340.
- Kays R, Kranstauber B, Jansen P, Carbone C, Rowcliffe M, Fountain T and Tilak S Camera traps as sensor networks for monitoring animal communities. In 'IEEE 34th Conference on Local Computer Networks', 2009, Zürich, pp. 811-818
- Keefover-Ring WJ (2005). Mountain Lions, Myths, and Media: A Critical Reevaluation of The Beast in the Garden. *Environmental Law* **35**, 1083-1095.
- Kellert SR and Berry JK (1987). Attitudes, knowledge, and behaviors toward wildlife as affected by gender. *Wildlife Society Bulletin*, 363-371.
- Kelly MJ and Holub EL (2008). Camera trapping of carnivores: trap success among camera types and across species, and habitat selection by species, on Salt Pond Mountain, Giles County, Virginia. *Northeastern Naturalist* **15**(2), 249-262.
- Kenward R (1987). 'Wildlife radio tagging: equipment, field techniques and data analysis.' (Academic Press London)
- Kerle J (1984). Variation in the ecology of *Trichosurus*: its adaptive significance. In 'Possums and gliders.' (Eds A Smith and I Hume) pp. 115-128. (Surrey Beatty & Sons: Chipping Norton)
- Kery M, Gardner B and Monnerat C (2010). Predicting species distributions from checklist data using site-occupancy models. *Journal of Biogeography* **37**(10), 1851-1862.
- Khan S (2006). Systems of medicine and nationalist discourse in India: Towards "new horizons" in medical anthropology and history. *Social Science & Medicine* **62**(11), 2786-2797.
- Kiernan B (2008). 'The Pol Pot regime: race, power, and genocide in Cambodia under the Khmer Rouge, 1975-79.' (Yale University Press)



- Kim HS (2002). We talk, therefore we think? A cultural analysis of the effect of talking on thinking. *Journal of personality and social psychology* **83**(4), 828.
- King CM (1990). 'The handbook of New Zealand mammals.' (Oxford University Press: Auckland)
- King D, Oliver A and Mead R (1978). The Adaptation of Some Western Australian Mammals to Food Plants Containing Fluoroacetate. *Australian Journal of Zoology* **26** (4), 699-712.
- King D, Twigg L and Gardner J (1989). Tolerance to Sodium Monofluoroacetate in Dasyurids in Western Australia. *Wildlife Research* **16**(2), 131-140.
- King LA, Burton CM, Hicks JA and Drigotas SM (2007). Ghosts, UFOs, and magic: Positive affect and the experiential system. *Journal of Personality and Social Psychology* **92**(5), 905.
- King R, Read D, Traugott M and Symondson W (2008). Invited review: Molecular analysis of predation: a review of best practice for DNA-based approaches. *Molecular Ecology* **17**(4), 947-963.
- Kinnear J, Krebs C, Pentland C, Orell P, Holme C and Karvinen R (2010). Predator-baiting experiments for the conservation of rock-wallabies in Western Australia: a 25-year review with recent advances. *Wildlife Research* **37**(1), 57-67.
- Kinnear J, Sumner N and Onus M (2002). The red fox in Australia-an exotic predator turned biocontrol agent. *Biological Conservation* **108**(3), 335-359.
- Kinnear JE (2003). 'Eradicating the Fox in Tasmania: A Review of the Fox Free Tasmania Program.' (Dept. of Primary Industries, Water and Environment: Hobart)
- Kinnear JE, Onus ML and Bromilow RN (1988). Fox control and rock-wallaby population dynamics. *Wildlife Research* **15**(4), 435-450.
- Kinnear JE, Onus ML and Sumner NR (1998). Fox control and rock-wallaby population dynamics II. An update. *Wildlife Research* **25**(1), 81-88.
- Kirshbaum M, Olsen K, Graffigna G and Pongthavornkamol K (2010). An ethnoscience approach to develop a cross-cultural understanding of fatigue.
- Kitayama S (2007). "Asian Psychology Coming of Age". In 'Observer. Vol. 20'.)
- Klaer NL REMOTE CAMERA OBSERVATIONS OF TASMANIAN DEVILS AND OTHER MAMMALS AT FRANKLIN.
- Kohn M, Knauer F, Stoffella A, Schröder W and Pääbo S (2008). Conservation genetics of the European brown bear-a study using excremental PCR of nuclear and mitochondrial sequences. *Molecular Ecology* **4**(1), 95-104.
- Kohn MH and Wayne RK (1997). Facts from feces revisited. *Trends in Ecology and Evolution* **12**(6), 223-227.
- Kohn MH and Wayne RK (1997). Facts from feces revisited. *Trends in Ecology & Evolution* **12**(6), 223-227.
- Kohn MH, York EC, Kamradt DA, Haught G, Sauvajot RM and Wayne RK (1999). Estimating population size by genotyping faeces. *Proceedings of the Royal Society of London. Series B: Biological Sciences* **266**(1420), 657-663.
- Komin S (1991). 'Psychology of the Thai People: Values and Behavioral Patterns.' (National Institute of Development: Bangkok)
- Kovar JD (1993). Short Guide to the Rio Declaration, A. *Colorado Journal of International Environmental Law and Policy* **4**, 119.
- KOZYCKI EN (2012). AGRO-TERRORISM IN CALIFORNIA: RESPONDING TO LEGITIMATE BIOLOGICAL THREATS WITH EFFECTIVE LEGISLATIVE RESPONSES.

*SJ Agric. L. Rev.* **22**, 167-215.

Krebs CJ (1999). 'Ecological Methodology.' (Addison Wesley Longman Menlo Park)

Krimsky S (2007). Risk communication in the Internet age: The rise of disorganized skepticism. *Environmental hazards* **7**(2), 157-164.

Kroma S (1995). Popularizing science education in developing countries through indigenous knowledge. *Indigenous Knowledge and Development Monitor* **3**(3), 13-15.

Kuehn BM (2007). Global shortage of health workers, brain drain stress developing countries. *JAMA: the journal of the American Medical Association* **298**(16), 1853-1855.

Kuehn BM (2007). Global shortage of health workers, brain drain stress developing countries. *JAMA: the journal of the American Medical Association* **298**(16), 1853-1855.

Kuhn D (1991). 'The skills of argument.' (Cambridge University Press)

Kuhn D and Udell W (2003). The development of argument skills. *Child development* **74**(5), 1245-1260.

Kupfer L, Hofman K, Jarawan R, McDermott J and Bridbord K (2004). Strategies to discourage brain drain. *Bulletin of the World Health Organization* **82**(8), 616-619.

Kwok S, Chang SY, Sninsky JJ and Wang A (1994). A guide to the design and use of mismatched and degenerate primers. *Genome Research* **3**(4), S39-S47.

Kwok S, Kellogg D, McKinney N, Spasic D, Goda L, Levenson C and Sninsky J (1990). Effects of primer-template mismatches on the polymerase chain reaction: human immunodeficiency virus type 1 model studies. *Nucleic Acids Research* **18**(4), 999-1005.

Kyle WC (1999). Editorial: Science education in developing countries: Challenging first world hegemony in a global context. *Journal of research in science teaching* **36**(3), 255-260.

Lade JA, Murray ND, Marks CA and Robinson NA (1996). Microsatellite differentiation between Phillip island and mainland Australian populations of the red fox *Vulpes vulpes*. *Molecular Ecology* **5**(1), 81-87.

Lazenby BT and Dickman CR (2013). Patterns of detection and capture are associated with cohabiting predators and prey. *PloS one* **8**(4), e59846.

Le Mar K and McArthur C (2000). 'Relocating radio-collared targeted marsupials after a 1080-poisoning operation.' (Forestry Tasmania: Hobart) 155-160

Le Mar K and McArthur C (2001). Changes in marsupial herbivore densities in relation to a forestry 1080-poisoning operation. *Australian Forestry* **64**(3), 175-180.

Lee MLT, Kuo FC, Whitmore G and Sklar J (2000). Importance of replication in microarray gene expression studies: statistical methods and evidence from repetitive cDNA hybridizations. *Proceedings of the National Academy of Sciences* **97**(18), 9834-9839.

Lehrer R and Schauble L (2006). Scientific thinking and science literacy. *Handbook of child psychology*.

Leonard JA, Shanks O, Hofreiter M, Kreuz E, Hodges L, Ream W, Wayne RK and Fleischer RC (2007). Animal DNA in PCR reagents plagues ancient DNA research. *Journal of Archaeological Science* **34**(9), 1361-1366.

Letnic M, Crowther MS, Dickman CR and Ritchie E (2011). Demonising the dingo: how much wild dogma is enough? *Current Zoology* **57**(5), 668-670.

Lewis JC, Sallee KL and Golightly Jr RT (1999). Introduction and range expansion of nonnative red foxes (*Vulpes vulpes*) in California. *The American Midland Naturalist* **142**(2), 372-381.

- Linacre A, Gusmão L, Hecht W, Hellmann A, Mayr W, Parson W, Prinz M, Schneider P and Morling N (2011). ISFG: recommendations regarding the use of non-human (animal) DNA in forensic genetic investigations. *Forensic Science International: Genetics* **5**(5), 501-505.
- Lindenmayer DB, Steffen W, Burbidge AA, Hughes L, Kitching RL, Musgrave W, Stafford Smith M and Werner PA (2010). Conservation strategies in response to rapid climate change: Australia as a case study. *Biological Conservation* **143**(7), 1587-1593.
- Lindsey S, Hertwig R and Gigerenzer G (2002). Communicating statistical DNA evidence. *Jurimetrics* **43**, 147.
- Lindstrom E (1982). Age structure and sex ratio of a red fox population according to different methods of sampling. *Transactions International Congress on Game Biology* **14**, 299-309.
- Lindstrom E (1989). Food limitation and social regulation in a red fox population. *Ecography* **12**(1), 70-79.
- Littin K and Mellor D (2005). Strategic animal welfare issues: ethical and animal welfare issues arising from the killing of wildlife for disease control and environmental reasons. *Revue Scientifique Et Technique-Office International Des Epizooties* **24**(2), 767-782.
- Littin K, Mellor D, Warburton B and Eason C (2004). Animal welfare and ethical issues relevant to the humane control of vertebrate pests. *New Zealand Veterinary Journal* **52** (1), 1-10.
- Lloyd H and Englund J (1973). The reproductive cycle of the red fox in Europe. *Journal of Reproduction and Fertility (Supplement)* **19**, 119.
- Lloyd Robson A (1989). 'A History of Tasmania.' (Melbourne University Press: Melbourne)
- Long RA, Donovan TM, Mackay P, Zielinski WJ and Buzas JS (2007). Effectiveness of scat detection dogs for detecting forest carnivores. *The Journal of Wildlife Management* **71**(6), 2007-2017.
- Long RA, Donovan TM, Mackay P, Zielinski WJ and Buzas JS (2007). Comparing scat detection dogs, cameras, and hair snares for surveying carnivores. *The Journal of Wildlife Management* **71**(6), 2018-2025.
- Long RA, Donovan TM, Mackay P, Zielinski WJ and Buzas JS (2007). Effectiveness of scat detection dogs for detecting forest carnivores. *The Journal of Wildlife Management* **71**(6).
- Long RA, Donovan TM, Mackay P, Zielinski WJ and Buzas JS (2007). Comparing scat detection dogs, cameras, and hair snares for surveying carnivores. *The Journal of Wildlife Management* **71**(6), 2018-2025.
- Longrigg R (1975). 'The history of fox hunting.' (Crown Publishing: New York)
- López-Andreo M, Garrido-Pertierra A and Puyet A (2006). Evaluation of post-polymerase chain reaction melting temperature analysis for meat species identification in mixed DNA samples. *Journal of agricultural and food chemistry* **54**(21), 7973-7978.
- López-Calleja IM, González I, Fajardo V, Hernández PE, García T and Martín R (2007). Application of an indirect ELISA and a PCR technique for detection of cows' milk in sheep's and goats' milk cheeses. *International Dairy Journal* **17**(1), 87-93.
- Lovari S, Valier P and Lucchi MR (1994). Ranging behaviour and activity of red foxes (*Vulpes vulpes*: Mammalia) in relation to environmental variables, in a Mediterranean mixed pinewood. *Journal of Zoology* **232**(2), 323-339.
- Lumsden J (1961). The construction of unidimensional tests. *Psychological Bulletin* **58** (2), 122.

Lunney D, Esson C, Moon C, Ellis M and Matthews A (1997). A community-based survey of the koala, *Phascolarctos cinereus*, in the Eden region of south-eastern New South Wales. *Wildlife Research* **24**(1), 111-128.

Lunney D, Grant T and Matthews A (2004). Distribution of the platypus in the Bellinger catchment from community knowledge and field survey and its relationship to river disturbance. *Proceedings of the Linnean Society of New South Wales* **125**, 243.

Lunney D and Matthews A (2001). The contribution of the community to defining the distribution of a vulnerable species, the spotted-tailed quoll, *Dasyurus maculatus*. *Wildlife Research* **28**(5), 537-545.

Lunney D, O'Neill L, Matthews A and Coburn D (2000). Contribution of community knowledge of vertebrate fauna to management and planning. *Ecological Management and Restoration* **1**(3), 175-184.

Lunney D, Triggs B, Eby P and Ashby E (1990). Analysis of Scats of Dogs *Canis-Familiaris* and Foxes *Vulpes-Vulpes* (Canidae, Carnivora) in Coastal Forests Near Bega, New-South-Wales. *Wildlife Research* **17**(1), 61-68.

Luyt B (2009). The political economy of the journal impact factor. In. ')

Lynch M (2007). Expertise, skepticism and cynicism: Lessons from science & technology studies. *Spontaneous Generations: A Journal for the History and Philosophy of Science* **1**(1), 17.

Lynch M, Koskella B and Schaack S (2006). Mutation pressure and the evolution of organelle genomic architecture. *Science* **311**(5768), 1727-1730.

Ma J and Nickerson JV (2006). Hands-on, simulated, and remote laboratories: A comparative literature review. *ACM Computing Surveys (CSUR)* **38**(3), 7.

Macdonald D and Bacon P (1982). Fox society, contact rate and rabies epizootiology. *Comparative Immunology, Microbiology and Infectious Diseases* **5**(1-3), 247-256.

Macdonald D and Halliwell E (1994). The rapid spread of red foxes, *Vulpes vulpes*, on the Isle of Man. *Global Ecology and Biogeography Letters*, 9-16.

Macdonald D and Reynolds J (2004). Red fox *Vulpes vulpes* Linnaeus, 1758, least concern (2004). In 'Canids: foxes, wolves, jackals and dogs: status survey and conservation action plan. .' (Eds C Sillero-Zubiri, M Hoffmann and DW Macdonald) pp. 129-36. (Gland, Switzerland: International Union for Conservation of Nature Specialist Group)

Macdonald DW (1976). Food caching by red foxes and some other carnivores. *Zeitschrift für Tierpsychologie* **42**(2), 170-185.

Macdonald DW (1980). Patterns of scent marking with urine and faeces amongst carnivore communities. *Symposium Royal Society London* **45**, 107-139.

MacKay P, Smith DA, Long RA, Parker M, Long R and MacKay P (2008). 'Scat detection dogs.' (Island Press: Covelo, California) 183-222

Mackenzie DI (2005). What are the issues with presence-absence data for wildlife managers? *Journal of Wildlife Management* **69**(3), 849-860.

Mackenzie DI and Kendall WL (2002). How should detection probability be incorporated into estimates of relative abundance? *Ecology* **83**(9), 2387-2393.

Mackenzie DI, Nichols JD, Sutton N, Kawanishi K and Bailey LL (2005). Improving inferences in population studies of rare species that are detected imperfectly. *Ecology* **86**(5), 1101-1113.

Mackey BG, Watson JE, Hope G and Gilmore S (2008). Climate change, biodiversity conservation, and the role of protected areas: an Australian perspective. *Biodiversity* **9** (3-4), 11-18.

MacLennan D (1984). The feeding behaviour and activity patterns of the brushtail possum, *Trichosurus vulpecula*, in an open eucalypt woodland in southeast Queensland. In 'Possums and Gliders.' (Eds A Smith and I Hume) pp. 155-161. (Surrey Beatty in association with the Australian Mammal Society: Chipping Norton, NSW)

Magnus Z, Kriwoken L, Mooney NJ and Jones ME (2004). Reducing the incidence of wildlife roadkill: improving the visitor experience in Tasmania.

Mahon PS, Bates PB and Dickman CR (1998). Population indices for wild carnivores: a critical study in sand-dune habitat, south-western Queensland. *Wildlife Research* **25** (2), 217-217.

Mahoney MJ (1977). Publication prejudices: An experimental study of confirmatory bias in the peer review system. *Cognitive therapy and research* **1**(2), 161-175.

Man JP, Weinkauff JG, Tsang M and Sin JHDD (2004). Why do some countries publish more than others? An international comparison of research funding, English proficiency and publication output in highly ranked general medical journals. *European journal of epidemiology* **19**(8), 811-817.

Mansergh I and Marks CA (1993). 'Predation of native wildlife by the introduced red fox (*Vulpes vulpes*).' (Department of Conservation and Natural Resources: Melbourne)

Manson NA (2002). Formulating the precautionary principle. *Environmental Ethics* **24** (3), 243-262.

Marginson S and Van der Wende M (2007). To rank or to be ranked: The impact of global rankings in higher education. *Journal of studies in international education* **11** (3-4), 306-329.

Marks C (1996). Do we need a new vertebrate pest control ethic. In 'Humaneness and Vertebrate Pest Control.' (Eds P Fisher and CA Marks) pp. 16-19. (Ropet Printing: Tynong North)

Marks CA (Unpublished data).

Marks CA (Unpublished data).

Marks CA and Bloomfield TE (1998). Canine heartworm (*Dirofilaria immitis*) detected in red foxes (*Vulpes vulpes*) in urban Melbourne. *Veterinary Parasitology* **78**, 147-154.

Marks CA and Bloomfield TE (1999). Distribution and density estimates for urban foxes (*Vulpes vulpes*) in Melbourne: implications for rabies control. *Wildlife Research* **26**(6), 763-775.

Marks CA and Bloomfield TE (1999). Bait uptake by foxes (*Vulpes vulpes*) in urban Melbourne: the potential of oral vaccination for rabies control. *Wildlife Research* **26**(6), 777-787.

Marks CA and Bloomfield TE (2006). Home-range size and selection of natal den and diurnal shelter sites by urban red foxes (*Vulpes vulpes*) in Melbourne. *Wildlife Research* **33**(4), 339-347.

Marks CA, Edwards I, Obendor D, Pereira F and Hall GP (in review). Buried 1080 baiting for fox (*Vulpes vulpes*) eradication in Tasmania has no demonstrated efficacy.

Marks CA, Edwards I, Obendor D, Pereira F and Hall GP (in review). Buried 1080 baiting for fox (*Vulpes vulpes*) eradication in Tasmania has no proven efficacy.

Marks CA, Edwards I, Obendor D, Pereira F and Hall GP (in review). Buried 1080 baiting for fox (*Vulpes vulpes*) eradication in Tasmania has no demonstrated efficacy.

Marks CA, Edwards I, Obendor D, Pereira F and Hall GP (in review). Can precautionary 1080 baiting without *in situ* efficacy data eradicate foxes (*Vulpes vulpes*) in Tasmania?

- Marks CA, Gigliotti F and Busana F (2003). Field performance of the M-44 ejector for red fox (*Vulpes vulpes*) control. *Wildlife Research* **30**(6), 601-609.
- Marks CA, Gigliotti F and Busana F (2004). Field performance of the M-44 ejector for red fox (*Vulpes vulpes*) control. *Wildlife Research* **30**(6), 601-609.
- Marks CA, Gigliotti F and Busana F (2004). Field performance of the M-44 ejector for red fox (*Vulpes vulpes*) control. *Wildlife Research* **30**(6), 601-609.
- Marks CA, Gigliotti F and Busana F (2009). Assuring that 1080 toxicosis in the red fox (*Vulpes vulpes*) is humane. II. Analgesic drugs produce better welfare outcomes. *Wildlife Research* **36**(2), 98-105.
- Marks CA, Gigliotti F, McPhee S, Piggott MP, Taylor A and Glen AS (2009). DNA genotypes reveal red fox (*Vulpes vulpes*) abundance, response to lethal control and limitations of contemporary survey techniques. *Wildlife Research* **36**(8), 647-658.
- Marks CA, Hackman C, Busana F and Gigliotti F (2000). Assuring that 1080 toxicosis in the red fox (*Vulpes vulpes*) is humane: fluoroacetic acid (1080) and drug combinations. *Wildlife Research* **27**(5), 483-494.
- Marks CA, Nijk M, Gigliotti F, Busana F and Short RV (1996). Preliminary Field Assessment of a Cabergoline Baiting Campaign for Reproductive Control of the Red Fox (*Vulpes Vulpes*). *Wildlife Research* **23**(2), 161-168.
- Marks CA, Obendor D, Edwards I, Pereira F and Hall GP (in review). Anecdotal reports are not evidence of fox (*Vulpes vulpes*) presence or baiting success in Tasmania: Why data quality matters in eradication programs.
- Marks CA, Obendor D, Pereira F, Edwards I and Hall GP (in review). Were foxes (*Vulpes vulpes*) widespread in Tasmania? A critical appraisal of the evidence.
- Marks CA, Obendor D, Pereira F, Edwards I and Hall GP (in review). Opportunistically acquired evidence is unsuitable data to model fox (*Vulpes vulpes*) distribution in Tasmania.
- Marks CA OD, Edwards I, Pereira F and Hall GP (in review). The spatial distribution and detection patterns of mtDNA assigned red fox (*Vulpes vulpes*) scats in Tasmania are anomalous
- Marshall J (2011). 'Fox in the Henhouse': the Introduction of the European Red Fox (*Vulpes vulpes*) into Tasmania, and the Potential Threat to the Fauna Biodiversity it Represents. In 'Online Undergraduate Review of Geography and Environmental Studies. ' (Flinders University: Adelaide)
- Martins T, Brooke ML, Hilton G, Farnsworth S, Gould J and Pain D (2006). Costing eradications of alien mammals from islands. *Animal Conservation* **9**(4), 439-444.
- Marušič A and Marušič M (1999). Small scientific journals from small countries: breaking from a vicious circle of inadequacy. *Croat Med J* **40**, 508-14.
- Massei G, Lyon A and Cowan DP (2004). Levamisole can induce conditioned taste aversion in foxes. *Wildlife Research* **30**(6), 633-637.
- May RM (1997). The scientific wealth of nations. *Science* **275**(5301), 793-796.
- May RM (1997). The scientific wealth of nations. *Science* **275**(5301), 793-796.
- May RM (1997). The scientific wealth of nations. *Science* **275**(5301), 793-796.
- McArthur C, Goodwin A and Turner S (2000). Preferences, selection and damage to seedlings under changing availability by two marsupial herbivores. *Forest Ecology and Management* **139**(1), 157-173.
- McCallum H and Jones M (2006). To lose both would look like carelessness: Tasmanian devil facial tumour disease. *PLoS biology* **4**(10), e342.

McComas WF (2004). Keys to teaching the nature of science. *The Science Teacher* **71** (9), 24-27.

McIlroy J (1981). The sensitivity of Australian animals to 1080 poison. ii. Marsupial and eutherian carnivores. *Wildlife Research* **8**(2), 385-399.

McIlroy J (1982). The Sensitivity of Australian Animals to 1080 Poison. ii. Marsupial and eutherian herbivores. *Wildlife Research* **9**(3), 487-503.

McIlroy J (1986). The sensitivity of Australian Animals to 1080 poison. IX. Comparisons between the major groups of animals, and the potential danger nontarget species face from 1080 poisoning campaigns. *Wildlife Research* **13**(1), 39-48.

McIlroy J, Saunders G and Hinds LA (2001). The reproductive performance of female red foxes, *Vulpes vulpes*, in central-western New South Wales during and after a drought. *Canadian Journal of Zoology* **79**(4), 545-553.

McIntosh D (1963). Reproduction and growth of the fox in the Canberra district. *Wildlife Research* **8**, 132-141.

McIntosh D (1963). Food of the fox in the Canberra district. *Wildlife Research* **8**(1), 1-20.

McKelvey KS, Aubry KB and Schwartz MK (2008). Using anecdotal occurrence data for rare or elusive species: the illusion of reality and a call for evidentiary standards. *BioScience* **58**(6), 549-555.

McLeod LJ, Saunders GR, McLeod SR, Dawson M and van de Ven R (2011). The potential for participatory landscape management to reduce the impact of the red fox (*Vulpes vulpes*) on lamb production. *Wildlife Research* **37**(8), 695-701.

McLeod LJ, Saunders GR and Miners A (2011). Can shooting be an effective management tool for foxes? Preliminary insights from a management programme. *Ecological Management & Restoration* **12**(3), 224-226.

McLeod LJ, Saunders GR and Miners A (2011). Can shooting be an effective management tool for foxes? Preliminary insights from a management programme. *Ecological Management & Restoration* **12**(3), 224-226.

McLeod R and Norris A (2004). 'Counting the cost: impact of invasive animals in Australia, 2004.' (Cooperative Research Centre for Pest Animal Control Canberra, Australia)

McMahon M and Reddy P (2006). 'Ethics and professional practice for psychologists.' (Thomson Social Science Press: South Melbourne) 74-88

McNeely JA (2001). An introduction to human dimensions of invasive alien species. In 'The great reshuffling. Human Dimensions of Invasive Alien Species.' Ed. JA McNeely) pp. 5-20. (IUCN: Gland, Switzerland and Cambridge, UK)

Medalia NZ and Larsen ON (1958). 'Diffusion and belief in a collective delusion: The Seattle windshield pitting epidemic.' (Bobbs-Merrill: Indianapolis) 180-186

Meek PD and Saunders G (2000). Home range and movement of foxes (*Vulpes vulpes*) in coastal New South Wales, Australia. *Wildlife Research* **27**(6), 663-668.

Mêgnigbêto E International collaboration in scientific publishing: the case of West Africa (2001–2010). *Scientometrics*, 1-23.

Mêgnigbêto E (2013). Scientific publishing in West Africa: Comparing Benin with Ghana and Senegal. *Scientometrics*, 1-27.

Meia JS and Weber JM (1995). Home ranges and movements of red foxes in central Europe: stability despite environmental changes. *Canadian Journal of Zoology* **73**(10), 1960-1966.

Meneghini R and Packer AL (2007). Is there science beyond English? Initiatives to

increase the quality and visibility of non-English publications might help to break down language barriers in scientific communication. *EMBO reports* **8**(2), 112.

Menkhorst P and Bennett AF (1996). 'Mammals of Victoria: distribution, ecology and conservation.' (Oxford University Press: Melbourne)

Menkhorst P and Knight F (2010). 'Field Guide to the Mammals of Australia.' (Oxford University Press: South Melbourne)

Menkhorst P and Morison L (2012). 'Assessment of evidence for the presence in Victoria of a wild population of 'big cats'.' (Arthur Rylah Institute for Environmental Research: Heidelberg)

Merton RK (1968). Science and democratic social structure. *Social theory and social structure*, 604-615.

Meyer CP and Paulay G (2005). DNA barcoding: error rates based on comprehensive sampling. *PLoS biology* **3**(12), e422.

Miller S (2001). Public understanding of science at the crossroads. *Public understanding of science* **10**(1), 115-120.

Mills LS (2002). False samples are not the same as blind controls. *Nature* **415**(6871), 471-471.

Mills LS (2002). False samples are not the same as blind controls. *Nature* **415**(6871), 471-471.

Mills LS, Citta JJ, Lair KP, Schwartz MK and Tallmon DA (2000). Estimating animal abundance using noninvasive DNA sampling: promise and pitfalls. *Ecological Applications* **10**(1), 283-294.

Mitchell D (1976). Experiments on neophobia in wild and laboratory rats: A reevaluation. *Journal of Comparative and Physiological Psychology* **90**(2), 190.

Monclús R, Arroyo M, Valencia A and de Miguel FJ (2009). Red foxes (*Vulpes vulpes*) use rabbit (*Oryctolagus cuniculus*) scent marks as territorial marking sites. *Journal of Ethology* **27**(1), 153-156.

Monge-Nájera J and Nielsen V (2005). The countries and languages that dominate biological research at the beginning of the 21st century. *Revista de biología tropical* **53** (1-2), 283-294.

Montiel-Sosa J, Ruiz-Pesini E, Montoya J, Roncales P, López-Pérez M and Pérez-Martos A (2000). Direct and highly species-specific detection of pork meat and fat in meat products by PCR amplification of mitochondrial DNA. *Journal of Agricultural and Food Chemistry* **48**(7), 2829-2832.

Mooney HA, Mack RN, McNeely JA, Neville LE, Schei PJ and Waage JK (2005). 'Invasive alien species: The nature of the problem.' (Island Press)

Moore JC (1957). The natural history of the fox squirrel, *Sciurus niger shermani*. *Bulletin of the AMNH* **113**, 1-72.

Moore MK and Kornfield IL (2011). Best Practices in Wildlife Forensic DNA. *Wildlife Forensics: Methods and Applications*.

Moore MK and Kornfield IL (2011). Best Practices in Wildlife Forensic DNA. *Wildlife Forensics: Methods and Applications*.

Morrison SA, Macdonald N, Walker K, Lozier L and Shaw MR (2007). Facing the dilemma at eradication's end: uncertainty of absence and the Lazarus effect. *Frontiers in Ecology and the Environment* **5**(5), 271-276.

Munks S, Mooney N, Pemberton D, Gales R, Goldingay R and Jackson S (2004). An update on the distribution and status of possums and gliders in Tasmania, including off-shore islands. In 'The Biology of Australian Possums and Gliders.' (Eds R



Goldingay and S Jackson) pp. 111-129. (Surrey Beatty and Sons: Chipping Norton)

Murie OJ and Elbroch M (2005). 'A field guide to animal tracks.' (Houghton Mifflin Harcourt: Boston)

Murie OJ and Elbroch M (2005). 'A field guide to animal tracks.' (Houghton Mifflin Harcourt)

Murray BC (1975). The Limits of Science. *Engineering and Science* **38**(4), 9-16.

Murray S, Patil A, Fahey G, Merchen N and Hughes D (1997). Raw and rendered animal by-products as ingredients in dog diets. *Journal of Animal Science* **75**(9), 2497-2505.

Murugaiah C, Noor ZM, Mastakim M, Bilung LM, Selamat J and Radu S (2009). Meat species identification and Halal authentication analysis using mitochondrial DNA. *Meat Science* **83**(1), 57-61.

Murugaiah C, Noor ZM, Mastakim M, Bilung LM, Selamat J and Radu S (2009). Meat species identification and Halal authentication analysis using mitochondrial DNA. *Meat Science* **83**(1), 57-61.

Mydans S (2007). Across cultures, English is the word. *The New York Times* **14**.

Myers JH, Simberloff D, Kuris AM and Carey JR (2000). Eradication revisited: dealing with exotic species. *Trends in Ecology and Evolution* **15**(8), 316-320.

Myers MJ, Farrell DE, Heller DN and Yancy HF (2004). Development of a polymerase chain reaction-based method to identify species-specific components in dog food. *American Journal of Veterinary Research* **65**(1), 99-103.

Myers N, Mittermeier RA, Mittermeier CG, Da Fonseca GA and Kent J (2000). Biodiversity hotspots for conservation priorities. *Nature* **403**(6772), 853-858.

Newsome A, Catling P and Corbett L (1983). The feeding ecology of the dingo II. Dietary and numerical relationships with fluctuating prey populations in south-eastern Australia. *Australian Journal of Ecology* **8**(4), 345-366.

Nisbett RE, Peng K, Choi I and Norenzayan A (2001). Culture and systems of thought: holistic versus analytic cognition. *Psychological review* **108**(2), 291.

Normand MP (2008). Science, skepticism, and applied behavior analysis. *Behavior Analysis in Practice* **1**(2), 42.

Normand MP (2008). Science, skepticism, and applied behavior analysis. *Behavior Analysis in Practice* **1**(2), 42.

O'Reilly C, Statham M, Mullins J, Turner PD and O'Mahony D (2008). Efficient species identification of pine marten (*Martes martes*) and red fox (*Vulpes vulpes*) scats using a 5' nuclease real-time PCR assay. *Conservation Genetics* **9**(3), 735-738.

Oakes B, Tai AK, Cingoz O, Henefield MH, Levine S, Coffin JM and Huber BT (2010). Contamination of human DNA samples with mouse DNA can lead to false detection of XMRV-like sequences. *Retrovirology* **7**(1), 109.

Ogden R, Dawnay N and McEwing R (2009). Wildlife DNA forensics—bridging the gap between conservation genetics and law enforcement. *Endangered Species Research* **9**(3), 179-195.

Oliveira MLd, Norris D, Ramírez JF, Peres PHdF, Galetti M and Duarte J (2012). Dogs can detect scat samples more efficiently than humans: an experiment in a continuous Atlantic Forest remnant. *Zoologia (Curitiba)* **29**(2), 183-186.

Ollivier F, Samuelson D, Brooks D, Lewis P, Kallberg M and Komaromy A (2004). Comparative morphology of the tapetum lucidum (among selected species). *Veterinary Ophthalmology* **7**(1), 11-22.

- Ollivier F, Samuelson D, Brooks D, Lewis P, Kallberg M and Komaromy A (2004). Comparative morphology of the tapetum lucidum (among selected species). *Veterinary Ophthalmology* **7**(1), 11-22.
- Osborne J, Erduran S and Simon S (2004). Enhancing the quality of argumentation in school science. *Journal of research in science teaching* **41**(10), 994-1020.
- Oshitani H, Kamigaki T and Suzuki A (2008). Major issues and challenges of influenza pandemic preparedness in developing countries. *Emerging infectious diseases* **14**(6), 875.
- Otley HM (2001). The use of a community-based survey to determine the distribution of the platypus *Ornithorhynchus anatinus* in the Huon River catchment, southern Tasmania. *Australian Zoologist* **31**(4), 632-641.
- P Anderson R, Dudik M, Ferrier S, Guisan A, J Hijmans R, Huettmann F, R Leathwick J, Lehmann A, Li J and G Lohmann L (2006). Novel methods improve prediction of species' distributions from occurrence data. *Ecography* **29**(2), 129-151.
- Paasi A (2005). Globalisation, academic capitalism, and the uneven geographies of international journal publishing spaces. *Environment and Planning A* **37**(5), 769-789.
- Paddle R (2002). 'The last Tasmanian tiger: the history and extinction of the thylacine.' (Cambridge University Press: Melbourne)
- Paddle R (2008). The most photographed of thylacines: Mary Roberts' Tyenna male-including a response to Freeman (2005) and a farewell to Laird (1968). *Australian Zoologist* **34**(4), 459-470.
- Page RJC (1981). Dispersal and population density of the fox (*Vulpes vulpes*) in an area of London. *Journal of Zoology* **194**(4), 485-491.
- Palmer MA, Bernhardt ES, Chornesky EA, Collins SL, Dobson AP, Duke CS, Gold BD, Jacobson R, Kingsland S and Kranz R (2004). Ecological science and sustainability for a crowded planet. *Report from the Ecological Society of America* [www.esa.org/ecovisions](http://www.esa.org/ecovisions).
- Palmer MA, Bernhardt ES, Chornesky EA, Collins SL, Dobson AP, Duke CS, Gold BD, Jacobson R, Kingsland S and Kranz R (2004). Ecological science and sustainability for a crowded planet. *Report from the Ecological Society of America* [www.esa.org/ecovisions](http://www.esa.org/ecovisions).
- Palomares F, Godoy JA, Píriz A and O'Brien SJ (2002). Faecal genetic analysis to determine the presence and distribution of elusive carnivores: design and feasibility for the Iberian lynx. *Molecular ecology* **11**(10), 2171-2182.
- Pappaioanou M, Malison M, Wilkins K, Otto B, Goodman RA, Churchill RE, White M and Thacker SB (2003). Strengthening capacity in developing countries for evidence-based public health: the data for decision-making project. *Social Science & Medicine* **57**(10), 1925-1937.
- Parkes J (1993). Feral goats: designing solutions for a designer pest. *New Zealand Journal of Ecology* **17**(2), 71-83.
- Parkes J and Anderson D (2009). 'Review of the Program to Eradicate Foxes (*Vulpes vulpes*) from Tasmania.' (Landcare Research: Lincoln)
- Parkes J and Anderson PD (2011). What is required to eradicate red foxes (*Vulpes vulpes*) from Tasmania? In 'Island Invasives: eradication and management.' (Eds CR Veitch, MN Clout and DR Towns). (IUCN: Gland, Switzerland)
- Parkes JP, Robley A, Forsyth DM and Choquenot D (2006). In My Opinion: Adaptive Management Experiments in Vertebrate Pest Control in New Zealand and Australia. *Wildlife Society Bulletin* **34**(1), 229-236.
- Paxton CGM (2009). The plural of 'anecdote' can be 'data': statistical analysis of viewing distances in reports of unidentified large marine animals 1758-2000. *Journal*

of *Zoology* **279**(4), 381-387.

Pech R and Hone J (1988). A model of the dynamics and control of an outbreak of foot and mouth disease in feral pigs in Australia. *Journal of Applied Ecology* **25**(1), 63-77.

Pech R, Hood G, Mclroy J and Saunders G (1997). Can foxes be controlled by reducing their fertility? *Reproduction, Fertility and Development* **9**(1), 41.

Pech RP, Sinclair A, Newsome A and Catling P (1992). Limits to predator regulation of rabbits in Australia: evidence from predator-removal experiments. *Oecologia* **89**(1), 102-112.

Pereira F, Carneiro J and Amorim A (2008). Identification of species with DNA-based technology: current progress and challenges. *Recent Patents on DNA and Gene Sequences* **2.3**, 187-200.

Pereira F, Carneiro J, Matthiesen R, van Asch B, Pinto N, Gusmão L and Amorim A (2010). Identification of species by multiplex analysis of variable-length sequences. *Nucleic Acids Research* **38**(22), e203-e203.

Pereira F, Carneiro J and Van Asch B (2010). A guide for mitochondrial DNA analysis in non-human forensic investigations. *Open Forensic Science Journal* **3**, 33-44.

Perrings C, Duraiappah A, Larigauderie A and Mooney H (2011). The biodiversity and ecosystem services science-policy interface. *Science* **331**(6021), 1139-1140.

Petel AMV, Marks CA and Morgan DG (2001). Bait palatability influences the caching behaviour of the red fox (*Vulpes vulpes*). *Wildlife Research* **28**(4), 395-401.

Peters J (1976). Contamination of forest ecosystems by sodium fluoroacetate (compound 1080). In 'Proceedings Seventh Vertebrate Pest Conference.' Ed. CC Siebe) pp. 307-315. (University of California (Davis): Monterey, California)

Petersen A, van der Zwaan B, van der Zwaan B and Petersen A (2003). The precautionary principle:(Un)certainties about species loss. In 'Sharing the Planet: Population-Consumption-Species. Science and Ethics for a Sustainable and Equitable World.' (Eds BCC van der Zwaan and AC Petersen). (Eburon Academic Publishers: Delft, The Netherlands)

Peterson AT (2003). Predicting the geography of species' invasions via ecological niche modeling. *The Quarterly Review of Biology* **78**(4), 419-433.

Phillips D (2008). 'Import Risk Analysis of Fox Entry Pathways into Tasmania.' (Department of Primary Industries and Water: Hobart)

Phillips M and Catling P (1991). Home range and activity patterns of red foxes in Nadgee Nature Reserve. *Wildlife Research* **18**(6), 677-686.

Phillips R, Andrews R, Storm G and Bishop R (1972). Dispersal and mortality of red foxes. *The Journal of Wildlife Management*, 237-248.

Piggott M, Banks S, Stone N, Banffy C and Taylor A (2006). Estimating population size of endangered brush-tailed rock-wallaby (*Petrogale penicillata*) colonies using faecal DNA. *Molecular Ecology* **15**(1), 81-91.

Piggott MP (2005). Effect of sample age and season of collection on the reliability of microsatellite genotyping of faecal DNA. *Wildlife Research* **31**(5), 485-493.

Piggott MP and Taylor AC (2003). Remote collection of animal DNA and its applications in conservation management and understanding the population biology of rare and cryptic species. *Wildlife Research* **30**(1), 1-13.

Piggott MP, Wilson R, Banks SC, Marks CA, Gigliotti F and Taylor AC (2008). Evaluating exotic predator control programs using non-invasive genetic tagging. *Wildlife Research* **35**(7), 617-624.

Plowman P (2004). 'Ferry to Tasmania: A Short History.' (Rosenberg: Kenthurst)

- Police T (2002). Letters from Chief Inspector concerning investigation into claims of Tasmanian fox introduction.
- Pompanon F, Bonin A, Bellemain E and Taberlet P (2005). Genotyping errors: causes, consequences and solutions. *Nature Reviews Genetics* **6**(11), 847-846.
- Popper KR (1972). 'Objective knowledge.' (Clarendon Press Oxford)
- Popper KR (2002). 'The logic of scientific discovery.' (Psychology Press)
- Popper KR, Popper KR and Popper KR (1965). 'Conjectures and refutations: The growth of scientific knowledge.' (Basic Books New York)
- Priddel D and Wheeler R (1997). Efficacy of Fox Control in Reducing the Mortality of Released Captive-reared Malleefowl, *Leipoa ocellata*. *Wildlife Research* **24**(4), 469-482.
- Radford B (2002). Bigfoot at 50 Evaluating a Half-Century of Bigfoot Evidence. *Skeptical Inquirer* **26.2**(April).
- Ramsay D, Ramsey DSL, Forsyth DM, Conroy MJ, Hall GP, Kingsford RT, Mitchell G, Roshier DA, Veltman CJ, Webb G and Wintle B (2010). Developing a sustainable harvest model for Victorian waterfowl. Arthur Rylah Institute for Environmental Research, Department of Sustainability and Environment, No. 1742422667, Melbourne.
- RAMSEY DS, Parkes J and MORRISON SA (2009). Quantifying eradication success: the removal of feral pigs from Santa Cruz Island, California. *Conservation Biology* **23** (2), 449-459.
- Rands MR, Adams WM, Bennun L, Butchart SH, Clements A, Coomes D, Entwistle A, Hodge I, Kapos V and Scharlemann JP (2010). Biodiversity conservation: challenges beyond 2010. *Science* **329**(5997), 1298-1303.
- Read J and Bowen Z (2001). Population dynamics, diet and aspects of the biology of feral cats and foxes in arid South Australia. *Wildlife Research* **28**(2), 195-203.
- Reddiex B and Forsyth DM (2007). Control of pest mammals for biodiversity protection in Australia. II. Reliability of knowledge. *Wildlife Research* **33**(8), 711-717.
- Reed JM (1996). Using statistical probability to increase confidence of inferring species extinction. *Conservation Biology* **10**(4), 1283-1285.
- Rejmánek M and Pitcairn M (2002). When is eradication of exotic pest plants a realistic goal. *Turning the tide: the eradication of invasive species*, 249-253.
- Reynolds JC and Short MJ (2003). The status of foxes *Vulpes vulpes* on the Isle of Man in 1999. *Mammal Review* **33**(1), 69-76.
- Ride WDL and Fry E (1970). 'A guide to the native mammals of Australia.' (Oxford University Press Melbourne)
- Risbey DA, Calver MC, Short J, Bradley JS and Wright IW (2000). The impact of cats and foxes on the small vertebrate fauna of Heirisson Prong, Western Australia. II. A field experiment. *Wildlife Research* **27**(3), 223-235.
- Robertson C, Baker P and Harris S (2000). Ranging behaviour of juvenile red foxes and its implications for management. *Acta Theriologica* **45**, 525-35.
- Rodriguez-Cabal MA, Williamson M and Simberloff D (2012). Overestimation of establishment success of non-native birds in Hawaii and Britain. *Biological Invasions* **15**, 249-252.
- Roland HB (1970). 'Hounds are Running- A History of the Melbourne Hunt.' (Lowden Publishing: Donvale)

- Rolls E (1984). 'They All Ran Wild.' (Angus and Robertson: London)
- Roughton RD (1982). A synthetic alternative to fermented egg as a canid attractant. *The Journal of Wildlife Management* **46**(1), 230-234.
- Rounsevell D, Taylor R and Hocking G (1991). Distribution records of native terrestrial mammals in Tasmania. *Wildlife Research* **18**(6), 699-717.
- Rushton SP, Shirley MDF, Macdonald DW and Reynolds JC (2006). Effects of culling fox populations at the landscape scale: A spatially explicit population modeling approach. *Journal of Wildlife Management* **70**(4), 1102-1110.
- Ryan G (1976). Observations on the reproduction and age structure of the fox, *Vulpes vulpes* L., in New South Wales. *Wildlife Research* **3**(1), 11-20.
- Rykiel Jr EJ (1996). Testing ecological models: the meaning of validation. *Ecological Modelling* **90**(3), 229-244.
- Sadler LMJ, Webbon CC, Baker PJ and Harris S (2004). Methods of monitoring red foxes *Vulpes vulpes* and badgers *Meles meles*: are field signs the answer? *Mammal Review* **34**(1-2), 75-98.
- Sagan C and Steele FR (1996). 'The demon-haunted world: Science as a candle in the dark.' (Headline New York)
- Sakai AK, Allendorf FW, Holt JS, Lodge DM, Molofsky J, With KA, Baughman S, Cabin RJ, Cohen JE and Ellstrand NC (2001). The Population Biology of Invasive Species. *Annual Review of Ecology and Systematics*, 305-332.
- Saks MJ and Koehler JJ (2005). The coming paradigm shift in forensic identification science. *Science* **309**(5736), 892-895.
- Salzman J (1990). Evolution and Application of Critical Habitat Under the Endangered Species Act. *Harvard Environmental Law Review* **14**, 311.
- Sambrook J, Fritsch EF and Maniatis T (1989). 'Molecular cloning.' (Cold Spring Harbor Laboratory Press: New York)
- Sarmento P, Cruz J, Eira C and Fonseca C (2009). Evaluation of camera trapping for estimating red fox abundance. *The Journal of Wildlife Management* **73**(7), 1207-1212.
- Sarre SD, MacDonald AJ, Barclay C, Saunders GR and Ramsey DSL (2012). Foxes are now widespread in Tasmania: DNA detection defines the distribution of this rare but invasive carnivore. *Journal of Applied Ecology* **50**(2), 459-468.
- Sarre SD, Walsch R, Aitken N, Foster A and Mooney N (2007). DNA detection of foxes to prevent establishment in Tasmania. In 'Managing Vertebrate Invasive Species: Proceedings of an International Symposium.' (Eds GW Witmer, WC Pitt and KA Fagerstone) pp. 44. (USDA/APHIS Wildlife Services, National Wildlife Research Center: Fort Collins, Colorado)
- Saunders G, Coman BJ, Kinnear J and Braysher M (1995). 'Managing Vertebrate Pests: Foxes.' (Australian Government Publishing Service: Canberra: Canberra)
- Saunders G and Harris S (2000). Evaluation of attractants and bait preferences of captive red foxes (*Vulpes vulpes*). *Wildlife Research* **27**(3), 237-243.
- Saunders G, Kay B and McLeod L (1999). Caching of baits by foxes (*Vulpes vulpes*) on agricultural lands. *Wildlife Research* **26**(3), 335-340.
- Saunders G, Lane C, Harris S and Dickman C (2006). 'Foxes in Tasmania.' (Invasive Animals Cooperative Research Centre: Canberra)
- Saunders G and McLeod L (2007). 'Improving fox management strategies in Australia.' (Bureau of Rural Sciences Canberra, Australia)
- Saunders G, McLeod S and Kay B (2000). Degradation of sodium monofluoroacetate

(1080) in buried fox baits. *Wildlife Research* **27**(2), 129-135.

Saunders GR, Gentle MN and Dickman CR (2010). The impacts and management of foxes *Vulpes vulpes* in Australia. *Mammal Review* **40**(3), 181-211.

Schill WB and Mathes MV (2008). Real-time PCR detection and quantification of nine potential sources of fecal contamination by analysis of mitochondrial cytochrome b targets. *Environmental Science and Technology* **42**(14), 5229-5234.

Schlexer FV (2008). Attracting animals to detection devices. *Noninvasive survey methods for carnivores*. Island Press, Washington, 263-326.

Schultz TH, Flath RA, Stern DJ, Mon TR, Teranishi R, Kruse SM, Butler B and Howard WE (1988). Coyote estrous urine volatiles. *Journal of chemical ecology* **14**(2), 701-712.

Schwartz MK, Luikart G and Waples RS (2007). Genetic monitoring as a promising tool for conservation and management. *Trends in Ecology & Evolution* **22**(1), 25-33.

Sharp A, Norton M, Marks A and Holmes K (2001). An evaluation of two indices of red fox (*Vulpes vulpes*) abundance in an arid environment. *Wildlife Research* **28**(4), 419-424.

SHEHZAD W, RIAZ T, NAWAZ MA, MIQUEL C, POILLOT C, SHAH SA, POMPANON F, COISSAC E and TABERLET P (2012). Carnivore diet analysis based on next-generation sequencing: application to the leopard cat (*Prionailurus bengalensis*) in Pakistan. *Molecular Ecology*.

Sherley M (2007). Is sodium fluoroacetate (1080) a humane poison? *Animal Welfare* **16**(4), 449-458.

Short J, Kinnear J and Robley A (2002). Surplus killing by introduced predators in Australia - evidence for ineffective anti-predator adaptations in native prey species? *Biological Conservation* **103**(3), 283-301.

Simberloff D (2009). Eradication—preventing invasions at the outset.

Simon A (1981). A quantitative, nonreactive study of mass behavior with emphasis on the cinema as behavioral catalyst. *Psychological Reports* **48**(3), 775-785.

Simon HA (2001). Science seeks parsimony, not simplicity: Searching for pattern in phenomena. *Simplicity, inference and modelling: keeping it sophisticatedly simple*, 32-72.

Smit S, Widmann J and Knight R (2007). Evolutionary rates vary among rRNA structural elements. *Nucleic Acids Research* **35**(10), 3339-3354.

Smith D, Ralls K, Hurt A, Adams B, Parker M and Maldonado J (2006). Assessing reliability of microsatellite genotypes from kit fox faecal samples using genetic and GIS analyses. *Molecular Ecology* **15**(2), 387-406.

Smith DA, Ralls K, Cypher BL, Clark Jr HO, Kelly PA, Williams DF, Maldonado JE and Edwards CW (2006). Relative abundance of endangered San Joaquin kit foxes (*Vulpes macrotis mutica*) based on scat-detection dog surveys. *The Southwestern Naturalist* **51**(2), 210-219.

Smith DA, Ralls K, Cypher BL and Maldonado JE (2005). Assessment of scat-detection dog surveys to determine kit fox distribution. *Wildlife Society Bulletin* **33**(3), 897-904.

Smith DA, Ralls K, Hurt A, Adams B, Parker M, Davenport B, Smith M and Maldonado JE (2003). Detection and accuracy rates of dogs trained to find scats of San Joaquin kit foxes (*Vulpes macrotis mutica*). *Animal Conservation* **6**(4), 339-346.

Smith R (2006). Peer review: a flawed process at the heart of science and journals. *JRSM* **99**(4), 178-182.

- Smith R, Muir R, Walpole M, Balmford A and Leader-Williams N (2003). Governance and the loss of biodiversity. *Nature* **426**(6962), 67-70.
- Smith SJ (1981). The Tasmanian tiger--1980: a report on an investigation of the current status of thylacine *Thylacinus cynocephalus*. Wildlife Division, National Parks and Wildlife Service, Tasmania, Hobart.
- Sober E (1981). The principle of parsimony. *British Journal for the Philosophy of Science*, 145-156.
- Sober E (1987). Parsimony, likelihood, and the principle of the common cause. *Philosophy of Science*, 465-469.
- Somaweera R, Somaweera N and Shine R (2010). Frogs under friendly fire: How accurately can the general public recognize invasive species? *Biological Conservation* **143**(6), 1477-1484.
- Soulsbury CD, Baker PJ, Iossa G and Harris S (2008). Fitness costs of dispersal in red foxes (*Vulpes vulpes*). *Behavioral Ecology and Sociobiology* **62**(8), 1289-1298.
- Staples L and McPhee S (1995). Foxoff Fox baits: target efficacy and risk to non targets in different habitats. In 'Proceedings of the 10th Australian Vertebrate Pest Control Conference.' pp. 53-61: Hobart)
- Staples L, McPhee S, Bloomfield T and Wright G Foxoff fox baits: Stability, lethal efficacy and degradation in soil. In 'Proceedings of the 10th Australian Vertebrate Pest Control Conference, Hobart', 1995, pp. 444-445
- Staples LD and McPhee SR Foxoff® fox baits: Target efficacy and risk to non-targets in different habitats. 1995, pp. 451-456
- Statham M and Mooney N The red fox in Tasmania. In 'Proceedings of the 9th Australian Vertebrate Pest Control Conference, Adelaide', 1991, pp. 169-171
- Stewart JR (1989). Sasquatch sightings in South Dakota: An analysis of an episode of collective delusion. *Exploring the paranormal*, 287-304.
- Stokstad E (2002). Fur flies over charges of misconduct. *Science* **295**(5553), 250-251.
- Strahan R (1981). 'A dictionary of Australian mammal names.' (Angus and Robertson: London)
- Strahan R (1983). 'The Australian Museum complete book of Australian mammals.' (Angus and Robertson: London)
- Strahan R (1988). 'The Complete Book of Australian Mammals.' (Angus and Robertson: Sydney)
- Strahan R (1991). 'Complete Book of Australian Mammals.' (Angus and Robertson: Sydney)
- Sunderlin WD, Angelsen A, Belcher B, Burgers P, Nasi R, Santoso L and Wunder S (2005). Livelihoods, forests, and conservation in developing countries: an overview. *World development* **33**(9), 1383-1402.
- Szewczyk R, Osterweil E, Polastre J, Hamilton M, Mainwaring A and Estrin D (2004). Habitat monitoring with sensor networks. *Communications of the ACM* **47**(6), 34-40.
- Taber CS and Lodge M (2006). Motivated skepticism in the evaluation of political beliefs. *American Journal of Political Science* **50**(3), 755-769.
- Taberlet P, Coissac E, Pompanon F, Brochmann C and Willerslev E (2012). Towards next-generation biodiversity assessment using DNA metabarcoding. *Molecular Ecology* **21**(8), 2045-2050.
- Taberlet P, Griffin S, Goossens B, Questiau S, Manceau V, Escaravage N, Waits LP and Bouvet J (1996). Reliable genotyping of samples with very low DNA quantities

- using PCR. *Nucleic Acids Research* **24**(16), 3189-3194.
- Taberlet P, Waits LP and Luikart G (1999). Noninvasive genetic sampling: look before you leap. *Trends in Ecology and Evolution* **14**(8), 323-327.
- Taylor BD and Goldingay RL (2004). Wildlife road-kills on three major roads in north-eastern New South Wales. *Wildlife Research* **31**(1), 83-91.
- Taylor BD and Goldingay RL (2004). Wildlife road-kills on three major roads in north-eastern New South Wales. *Wildlife Research* **31**(1), 83-91.
- Tentori K, Bonini N and Osherson D (2004). The conjunction fallacy: a misunderstanding about conjunction? *Cognitive Science* **28**(3), 467-477.
- Thier M (2008). Media and Science: Developing Skepticism and Critical Thinking. *Science Scope* **32**(3), 20-23.
- Thompson J and Fleming P (1994). Evaluation of the efficacy of 1080 poisoning of red foxes using visitation to non-toxic baits as an index of fox abundance. *Wildlife Research* **21**(1), 27-39.
- Thomson KS (1991). Piltown man: The great English mystery story. *American Scientist* **79**, 194-201.
- Thomson P and Kok N (2002). The fate of dried meat baits laid for fox control: the effects of bait presentation on take by foxes and non-target species, and on caching by foxes. *Wildlife Research* **29**(4), 371-377.
- Thomson P, Marlow N, Rose K and Kok N (2000). The effectiveness of a large-scale baiting campaign and an evaluation of a buffer zone strategy for fox control. *Wildlife Research* **27**(5), 465-472.
- Tindana PO, Singh JA, Tracy CS, Upshur RE, Daar AS, Singer PA, Frohlich J and Lavery JV (2007). Grand challenges in global health: community engagement in research in developing countries. *PLoS medicine* **4**(9), e273.
- Tobe SS and Linacre A (2010). DNA typing in wildlife crime: recent developments in species identification. *Forensic Science, Medicine, and Pathology* **6**(3), 195-206.
- Tobe SS and Linacre AM (2008). A multiplex assay to identify 18 European mammal species from mixtures using the mitochondrial cytochrome b gene. *Electrophoresis* **29**(2), 340-347.
- Tourangeau R (2003). Cognitive aspects of survey measurement and mismeasurement. *International Journal of Public Opinion Research* **15**(1), 3-7.
- Towerton AL, Penman TD, Kavanagh RP and Dickman CR (2011). Detecting pest and prey responses to fox control across the landscape using remote cameras. *Wildlife Research* **38**(3), 208-220.
- Towns DR and Broome KG (2003). From small Maria to massive Campbell: forty years of rat eradications from New Zealand islands. *New Zealand Journal of Zoology* **30**(4), 377-398.
- Trewhella W, Harris S and McAllister F (1988). Dispersal distance, home-range size and population density in the red fox (*Vulpes vulpes*): a quantitative analysis. *Journal of Applied Ecology* **25**, 423-434.
- Triggs B (1996). 'Tracks, scats and other traces: a field guide to Australian mammals.' (Oxford University Press Melbourne, Australia)
- Triggs B (1996). 'The wombat: common wombats in Australia.' (UNSW Press: Sydney)
- Triggs B (1996). 'Tracks, scats, and other traces: a field guide to Australian mammals.' (Oxford University Press Melbourne, Australia)
- Triggs B, Brunner H and Cullen J (1984). The food of fox, dog and cat in Croajingalong



National Park, south-eastern Victoria. *Wildlife Research* **11**(3), 491-499.

Trut L (1999). Early Canid Domestication: The Farm-Fox Experiment Foxes bred for tamability in a 40-year experiment exhibit remarkable transformations that suggest an interplay between behavioral genetics and development. *American Scientist* **87**(2), 160-169.

Tse D, Langston RF, Kakeyama M, Bethus I, Spooner PA, Wood ER, Witter MP and Morris RGM (2007). Schemas and memory consolidation. *Science* **316**(5821), 76.

Turner FM (1978). The Victorian conflict between science and religion: A professional dimension. *Isis* **69**(3), 356-376.

Turner SS (2009). Negotiating Nostalgia: The Rhetoricity of Thylacine Representation in Tasmanian Tourism. *Society and Animals* **17**(2), 97-114.

Turvey BE (2012). Forensic Fraud: Evaluating law enforcement and forensic science. Bond University, Gold Coast

Tversky A and Kahneman D (1983). Extensional versus intuitive reasoning: The conjunction fallacy in probability judgment. *Psychological Review* **90**(4), 293.

Twigg L and Parker R (2010). Is sodium fluoroacetate (1080) a humane poison? The influence of mode of action, physiological effects, and target specificity. *Animal Welfare* **19**(3), 249-263.

Twigg LE, Martin GR and Lowe TJ (2002). Evidence of pesticide resistance in medium-sized mammalian pests: a case study with 1080 poison and Australian rabbits. *Journal of Applied Ecology* **39**(4), 549-560.

Van Aarde R (1983). Demographic parameters of the feral cat *Felis catus* population at Marion Island. *South African Journal of Wildlife Research* **13**(1), 12-16.

van der Borg JAM and Graat L Pilot study to identify risk factors for coprophagic behaviour in dogs.

Van Horne B (1983). Density as a misleading indicator of habitat quality. *The Journal of Wildlife Management*, 893-901.

van Pelt-Verkuil E, Van Belkum A and Hays JP (2008). 'Principles and technical aspects of PCR amplification.' (Springer: Amsterdam)

van Polanen Petel AM, Kirkwood R, Gigliotti F and Marks C (2004). Adaptation and assessment of M-44 ejectors in a fox-control program on Phillip Island, Victoria. *Wildlife Research* **31**(2), 143-147.

van Polanen Petel AM and Marks CA CACHING OF BAITS BY THE RED FOX (*VULPES VULPES*): MANAGEMENT IMPLICATION FOR FOX CONTROL ON SEMI-URBAN PHILLIP ISLAND.

van Polanen Petel AM, Marks CA and Morgan DG (2001). Bait palatability influences the caching behaviour of the red fox (*Vulpes vulpes*). *Wildlife Research* **28**(4), 395-401.

Verbyla DL and Litvaitis JA (1989). Resampling methods for evaluating classification accuracy of wildlife habitat models. *Environmental Management* **13**(6), 783-787.

Villard P and Malausa T (2013). SP-Designer: a user-friendly program for designing species-specific primer pairs from DNA sequence alignments. *Molecular Ecology Resources*.

Vine SJ, Crowther MS, Lapidge SJ, Dickman CR, Mooney N, Piggott MP and English AW (2009). Comparison of methods to detect rare and cryptic species: a case study using the red fox (*Vulpes vulpes*). *Wildlife Research* **36**(5), 436-446.

Vynne C, Skalski JR, Machado RB, Groom MJ, Jácomo ATA, Marinho-Filho J, Ramos Neto MB, Pomilla C, Silveira L, Smith H and Wasser SK (2011). Effectiveness of Scat

- Detection Dogs in Determining Species Presence in a Tropical Savanna Landscape. *Conservation Biology* **25**(1), 154-162.
- Wagner CS, Brahmakulam I, Jackson B, Wong A and Yoda T (2001). Science and Technology Collaboration: Building Capability in Developing Countries. DTIC Document.
- Walker WR, Hoekstra SJ and Vogl RJ (2002). Science education is no guarantee of skepticism. *Skeptic* **9**(3), 24-27.
- Waller RA and Duncan DB (1969). A Bayes rule for the symmetric multiple comparisons problem. *Journal of the American Statistical Association* **64**(328), 1484-1503.
- Walsh P, Erlich H and Higuchi R (1992). Preferential PCR amplification of alleles: mechanisms and solutions. *Genome Research* **1**(4), 241-250.
- Wandeler P, Funk SM, Largiader C, Gloor S and Breitenmoser U (2003). The city-fox phenomenon: genetic consequences of a recent colonization of urban habitat. *Molecular Ecology* **12**(3), 647-656.
- Wasser SK, Davenport B, Ramage ER, Hunt KE, Parker M, Clarke C and Stenhouse G (2004). Scat detection dogs in wildlife research and management: application to grizzly and black bears in the Yellowhead Ecosystem, Alberta, Canada. *Canadian Journal of Zoology* **82**(3), 475-492.
- Watts D and Hird D (1994). Tasmanian Mammals: A field guide. *Robert J. Taylor and Peter B. McQuillan* **116**, 59.
- Wayne RK, Leonard JA and Cooper A (1999). Full of sound and fury: the recent history of ancient DNA. *Annual Review of Ecology and Systematics*, 457-477.
- Webbon CC, Baker PJ and Harris S (2004). Faecal density counts for monitoring changes in red fox numbers in rural Britain. *Journal of Applied Ecology* **41**(4), 768-779.
- Webster P and Stretten N (1978). Late Quaternary ice age climates of tropical Australasia: interpretations and reconstructions. *Quaternary Research* **10**(3), 279-309.
- Weingart P (1999). Scientific expertise and political accountability: paradoxes of science in politics. *Science and Public Policy* **26**(3), 151-161.
- White JG, Gubiani R, Smallman N, Snell K and Morton A (2006). Home range, habitat selection and diet of foxes (*Vulpes vulpes*) in a semi-urban riparian environment. *Wildlife Research* **33**, 175-180.
- White P, Kreeger TJ, Tester JR and Seal US (1989). Anal-sac secretions deposited with feces by captive red foxes (*Vulpes vulpes*). *Journal of Mammalogy* **70**(4), 814-816.
- Wiemers M and Fiedler K (2007). Does the DNA barcoding gap exist?—a case study in blue butterflies (Lepidoptera: Lycaenidae). *Frontiers in Zoology* **4**(8), 16.
- Wilkinson JS (2009). Inquiry into Efficiency and Effectiveness of Fox Eradication Programs in Tasmania. (Parliament of Tasmania: Hobart) <http://www.parliament.tas.gov.au/ctee/pacc.htm>
- Williams K, Parer I, Coman B, Burley J and Braysher M (1995). 'Managing vertebrate pests: rabbits.' (Australian Government Publishing Service: Canberra)
- Williams K and Potts B (1996). The natural distribution of *Eucalyptus* species in Tasmania. *Tasforests* **8**, 39-165.
- Williamson M (1997). 'Biological invasions.' (Springer)
- Williamson M and Fitter A (1996). The varying success of invaders. *Ecology*, 1661-1666.

Williamson MH, Brown KC, Holdgate M, Kornberg H, Southwood R and Mollison D (1986). The analysis and modelling of British invasions [and discussion]. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences* **314**(1167), 505-522.

Williamson MH and Fitter A (1996). The characters of successful invaders. *Biological conservation* **78**(1), 163-170.

Wilson G, Dexter N, O'Brien P and Bomford M (1992). 'Pest animals in Australia: a survey of introduced wild mammals.' (Kangaroo Press: Roseville NSW)

Wilson M, Stoneking M, Holland M, DiZinno J and Budowle B (1993). Guidelines for the use of mitochondrial DNA sequencing in forensic science. *Crime Lab Digest* **20**(4), 68-77.

Wilson TM, Logan-Henfrey L, Weller R and Kellman B (2000). Agroterrorism, biological crimes, and biological warfare targeting animal agriculture. *Emerging diseases of animals*, 23-57.

Wiseman R, Smith M and Wisman J (1995). Eyewitness testimony and the paranormal. In 'Skeptical Inquirer. Vol. 19.6'. (CSI: Amherst (New York))

Wittenberg R and Cock MJW (2001). 'Invasive alien species: a toolkit of best prevention and management practices.' (CABI International: Wallingford, UK)

Wobeser G (1996). Forensic (medico-legal) necropsy of wildlife. *Journal of wildlife diseases* **32**(2), 240-249.

Woollard T and Harris S (1990). A behavioural comparison of dispersing and non-dispersing foxes (*Vulpes vulpes*) and an evaluation of some dispersal hypotheses. *The Journal of Animal Ecology* **59**, 709-722.

Wright HWY (2006). Paternal den attendance is the best predictor of offspring survival in the socially monogamous bat-eared fox. *Animal Behaviour* **71**(3), 503-510.

Wright S (2010). 'Recovery plan for the Tasmanian devil (*Sarcophilus harrisii*).' (Department of Primary Industries, Parks, Water and Environment: Hobart)

Yang DY, Eng B and Saunders SR (2003). Hypersensitive PCR, ancient human mtDNA, and contamination. *Human Biology* **75**(3), 355-364.

Yao YG, Bravi CM and Brandelt HJ (2004). A call for mtDNA data quality control in forensic science. *Forensic Science International* **141.1**, 1-6.

Ye J, Coulouris G, Zaretskaya I, Cutcutache I, Rozen S and Madden TL (2012). Primer-BLAST: A tool to design target-specific primers for polymerase chain reaction. *BMC Bioinformatics* **13**(1), 134.

Zaaijer H, Cuypers H, Reesink H, Winkel I, Lelie P and Gerken G (1993). Reliability of polymerase chain reaction for detection of hepatitis C virus. *The Lancet* **341**(8847), 722-724.

Zar JH (1999). 'Biostatistical analysis.' (Prentice Hall Upper Saddle River, NJ)